



ROCK SAFETY®

Our Mission: Your Protection.

PRESTIGE



WHY ROCK SAFETY®?

27
COUNTRIES

Currently exporting to 27 countries and the number is rising every year. Thanks to the great logistical location of our headquarter (located in the heart of Europe in Hungary) we can reach all Europe fast and reliable.

Dealing with more than 2,000 partners yearly with a warehouse capacity of 10,000 m².

>2,000
PARTNERS

<0.1%
COMPLAINT RATE

The consumer complaints are below 0.1%.
Handled with 100% satisfaction.



Read QR-code
to watch our
company video



shop.rockssafety.com

Published by: **ROCK SAFETY Ltd.**
Address: Nagykátai street 10, 5100 Jászberény, Hungary
E-mail: webshop@rockssafety.com
Web: <https://rockssafety.com>

The images shown in the catalogue are for illustration purposes only and may not be an exact representation of the product.

© 2025 ROCK SAFETY®
All rights reserved.

WELCOME

DEAR BUSINESS PARTNER!



László Molnár
managing director

ROCK SAFETY® is known as a trusted and dynamically evolving PPE brand, recognized throughout Europe. By leveraging the logistical advantages of our central location, we can ensure complete supply chain coverage, both within Hungary and in export markets.

In a constantly changing global economy, characterized by shifts and polarization, we remain flexible and adaptable, while offer consistency, stability and reliability to our partners. We don't rest on our past achievements; instead, we continuously develop and expand our product portfolio and services in order to meet the ever-changing market demands.

Our true strength lies in cultivating long-term, trust-based partnerships, based on a mutual commitment to growth and shared success.

We believe in safety, family, and the generations building our future.

Our Mission: Your Protection.

WE PROUDLY OFFER YOU OUR PRODUCTS:



HAND PROTECTION

Docker's, welding, driver, knitted, dotted, cut-and-sewn, assembly, cut-resistant, Kevlar®, coated and chemical-resistant, ESD, winter, disposable, mechanical, special, vending machine gloves.



SAFETY FOOTWEAR

Working sandals, shoes, boots, high boots, ESD shoes, welding, electrician, heat resistant, winter boots, footwear accessories.



WORKWEAR

Working bibpants, trousers, shorts, vests, jackets, multifunctional, high-visibility garments, chemical resistant, cold-store, welding, disposable, winter, summer garments.



OTHER PPE

Helmets, hats and head protectors, safety glasses, ear protectors, respirators, fall protection, other accessories.



INDUSTRIAL CLEANING

Shoe cleaning machine, sticky mats.




ROCK KIDS

Gloves, ear protectors, distinguishing safety vests.

CONTENTS

SERVICES	5	OTHER PPE	207
Custom workwear design and production	6	Industrial cleaning	211
Own production – knitted gloves	8	Head protection	213
Printing / embroidery	9	Eye and face protection	219
Industrial vending machines	10	Respiratory protection	225
ROCK KIDS	11	Hearing protection	229
Hand protection	12	Accessories	233
Ear protectors and safety vest	14	Index	236
HAND PROTECTION	15		
Assembly gloves	23		
ESD gloves	35		
Cut-resistant and Kevlar® gloves	41		
Driver gloves	55		
Docker's gloves	61		
Welding gloves	67		
Knitted and cut-and-sewn gloves	73		
Dotted gloves	85		
Coated gloves	91		
Chemical-resistant gloves	97		
Disposable gloves	101		
Special and mechanical gloves	107		
Winter gloves	113		
FOOTWEAR	119		
Working shoes	123		
Working boots	135		
Working sandals	143		
Working high boots	149		
Footwear accessories	153		
WORKWEAR	157		
Workwear lines and sets	163		
High visibility garments	173		
Winter garments	179		
Rainwear	181		
Multifunctional garments	185		
Chemical protective garments	187		
Cut-resistant garments	191		
Welding garments	195		
Aprons and working coats	199		
Disposable garments	203		

SERVICES



CUSTOM WORKWEAR DESIGN AND PRODUCTION, OWN PRODUCTION – KNITTED GLOVES, PRINTING / EMBROIDERY, INDUSTRIAL VENDING MACHINES

CUSTOM WORKWEAR DESIGN AND PRODUCTION



Idea emergence



Sketching & Initial designs



Fabric selection



Brand-aligned collection design



Creating tech packs



Creating prototypes & samples



2a

3



Sourcing suppliers



Product testing & Certification



Mass production



Quality control



Made-to-measure:
individual sizing production

1b



Distribution & Logistics



OWN PRODUCTION – KNITTED GLOVES

PERFECT LOGISTICS LOCATION

Place of manufacturing:
Jászberény, Hungary

CAPACITY: OVER 1 MILLION PAIRS ANNUALLY

27 knitting machines

GAUGE OPTIONS: 7, 10, 13

Materials: Kevlar®, polyester, cotton, polycotton



VARIABLE PRODUCT SPECIFICATIONS

Options: fingerless, long, sleeve, palm reinforcement, dotted, plated, lined

RELIABLE EUROPEAN MANUFACTURER

Since 1997 in the field of PPE

EUROPEAN CERTIFICATE OF ORIGIN

Hungary, Europe



PRINTING, EMBROIDERY



FLEX FOIL (PRINTABLE/ IRONABLE)

- Material to be used: 100% cotton, polyester
- Washable at 40-60 °C (turned inside out)
- Flex foil: makes possible to subtitle single coloured, simple figures onto durable, polyester material
- Printable/ironable: coloured or even gradient figures onto cotton and polyester materials




EMBROIDERY

- Embroidable materials: 100% cotton, polyester, leather
- Washability: 40-95 °C if the material makes it possible
- Durable embroidery of coloured figures, almost any kind of materials – gradient figures cannot be designed
- Professional, industrial 8-headed embroidery machine



INDUSTRIAL VENDING MACHINES



Protective equipment for workers (gloves, safety glasses, masks, earplugs, shoe covers, hairnets etc.), other indirect equipment used during work processes, tools, small machines, innovative industrial systems used for automatized stocking, allocating, controlling and tracking of technical equipment, directly from the USA!

- Complete product family in order to cover the widest range of issuable products
- Customizable and configurable equipment
- Compatibility with other office software
- SQL database
- Quick intervention
- Limitable quantity of product withdraws
- Correct accountability and traceability



ROCK KIDS



ROCK[®]
k i d s

KID-CAT-P

Kid's Polyester assembly glove with foam latex coated palm

- Material: polyester
- Foam latex coated palm
- Gauge: 13
- Ultra comfortable and extra flexible
- Excellent grip
- For children
- Colour: pink

Sizes:

3: KID-CAT-P, KID-DOG-P

- Length: 16.5 cm ±0.5 cm
- Palm width: 6.5 cm ±0.2 cm

4: KID-FARMER-P, KID-TRUCKMIXER-P


- Length: 17.5 cm ±0.5 cm
- Palm width: 7 cm ±0.2 cm

5: KID-TINKER-P

- Length: 18.5 cm ±0.5 cm
- Palm width: 7.5 cm ±0.2 cm

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



KID-DOG-A

Kid's Polyester assembly glove with foam latex coated palm

- Material: polyester
- Foam latex coated palm
- Gauge: 13
- Ultra comfortable and extra flexible
- Excellent grip
- For children
- Colour: blue

Sizes:

3: KID-DOG-A, KID-CAT-A

- Length: 16.5 cm ±0.5 cm
- Palm width: 6.5 cm ±0.2 cm

4: KID-FARMER-A, KID-DIGGER-A

- Length: 17.5 cm ±0.5 cm
- Palm width: 7 cm ±0.2 cm

5: KID-TINKER-A

- Length: 18.5 cm ±0.5 cm
- Palm width: 7.5 cm ±0.2 cm

Packaging:

■ 1 pair
■ 12 pairs/pkg.
■ 120 pairs/carton





KID-CAT-A




KID-FARMER-A




KID-DIGGER-A




KID-TINKER-A





KM-2-A

Ear muff for children

- Noise reduction: SNR: 27 dB
- Adjustable length
- Foldable
- For children
- Colour: blue **KM-2-P**: pink

Standards:
EN 352-1:2002



Packaging:

■	■	■
1	1	40
pc.	pc./pkg.	pcs./carton



KM-2-P



Elastic band on the side

REFLECTKID-Y

Distinguishing safety vest for children

- Material: 100% polyester
- Material weight: 120 g/m²
- Pull-on model
- Two horizontal reflective stripes
- Childrens' size
- Colour: yellow

Sizes: 2XS-S

Packaging:

■	■	■
1	1	100
pc.	pc./pkg.	pcs./carton



HAND PROTECTION

BLUEWOLF
by ROCK SAFETY®

ASSEMBLY GLOVES 24-34



BLACKGRIP 24 DRAGONFLY 25 DRAGONFLY-V 25 DRAGONFLY-ECO 25 DRAGONFLY-ECO-V 25



SCARAB 26 SCARAB-V 26 SCARAB-ECO 26 SCARAB-ECO-V 26 STONEFLY 27



STONEFLY-ECO 27 STONEFLY-ECO-V 27 BUTTERFLY 28 BUTTERFLY-ECO 28 LOCUST 29



LOCUST-DOTLESS 29 TERMITE 30 WASP 30 CICADA 31 BUZZARD 31



SKIPPER 32 CARACARA 32 FLEXVIS 33 MANTIS 33 FIREANT 34

ESD GLOVES 36-40



BUG 34 CHIPMUNK 36 ZEBRA 37 ZEBRA-V 37 ZEBRA-ECO 37



ESD GLOVES 36-40



ZEBRA-1 38



ZEBRA-1-V 38



ZEBRA-1-ECO 38



ZEBRA-2 39



ZEBRA-2-ECO 39

CUT-RESISTANT AND KEVLAR® GLOVES 42-54



DUCKBILL-DEN 40



HIPPO 40



CUTVIS 42



SCALLOP 43



SCALLOP-ECO 43



CROCODILE 44



TERRAPIN 44



ARMADILLO 45



LOBSTER 45



ELEPHANT 46



ELEPHANT-1P 46



MAMMOTH-1T 46



MAMMOTH-2T 47



MAMMOTH-4T 47



MAMMOTH-1T-LO 48



MAMMOTH-2T-LO 48



MAMMOTH-4T-LO 49



MAMMOTH-1T-DOT 49



MAMMOTH-2T-DOT 50



MAMMOTH-4T-DOT 50



MAMMOTH-1T-DOT-LO 51



MAMMOTH-2T-DOT-LO 51



MAMMOTH-4T-DOT-LO 52



MAMMOTH-4T-LIN 52



MAMMOTH-4T-LIN-LO 53

HAND PROTECTION



CUT-RESISTANT AND KEVLAR® GLOVES 42-54 **DRIVER GLOVES 56-60**



MAMMOTH-4T-DLIN 53



MAMMOTH-4T-COW 54



MAMMOTH-2T-FL 54



PANTHER-TAP 56



PANTHER 57



PANTHER-DLX 57



AKEPA 58



BLACKTERN 58



GREYWOLF-1 59



GREYWOLF-2 59

DOCKER'S GLOVES 62-66



GREYWOLF-3 60



BLUEWOLF 60



BULL-GA 62



BULL-GB 62



OXEN-Y 63



OXEN-S 63



BUFFALO-A 64



BUFFALO-O 64



BUFFALO-R 64



BUFFALO-Y 64



GAUR = 1015N-M 65



ZEBU 65



GNU 66



YAK = 1015YR 66



BLAZECAT-A-GA 68

WELDING GLOVES 68-72



DINGO 69



FLAMEFOX-R-GA 70



FLAMEFOX-R-GB 71



FLAMEFOX-S-GB 71



CARACAL 72



KNITTED AND CUT-AND-SEWN GLOVES 74-84



CARACAL-LO 72



ORIBI 74



ALPACA 75



ALPACA-LO 75



ALPACA-FL 76



ALPACA-PL 76



ALPACA-PL-LO 77



GUANACO-PL 77



BONGO 78



BONGO-S 78



BONGO-LIN 79



BONGO-S-LIN 79



BONGO-LIN-AC 80



PUKU 80



PUKU-V 80



IMPALA 81



IMPALA-FL 81



IMPALA-LO 81



GORAL 82



TABBY 82



VICUNA 83



AGOUTI 83



MARA 84



MOUSE 84



TABBY-DOT 86

DOTTED GLOVES 86-90



KUDU 87



ALPACA-PL-DOT 88



VICUNA-DOT 89



IMPALA-DOT 90



IMPALA-DOT-ECO 90

HAND PROTECTION



COATED GLOVES 92-96



BLUEBIRD 92 MARABOU-A 93 MARABOU-Y 93 PARULA 94 MANTELLA-1 95 MANTELLA-2 = 7021 95

CHEMICAL-RESISTANT GLOVES 98-100



GARDENER 96 CARDINAL-35 98 CARDINAL-45 98 TOUCAN 99 CORNSNAKE 99 DRONGO 100

DISPOSABLE GLOVES 102-106



TANG-40 100 TAIPAN 102 MANTARAY 103 BLUERACER 104 TATTOO 105 SQUID = 9301 106

SPECIAL AND MECHANICAL GLOVES 108-112



RUBBERFINGER 106 ESDGUMIUJJ 106 KANGA 108 GRASSHOPPER 109 BEESAFE 109 KM1509500 110

WINTER GLOVES 114-118



ROADRUNNER = MOTOROSNYARI 111 ROADRUNNER(W) = MOTOROSTELI 111 HUNTERO = LOV-B 112 FROSTBEAR(W) 114 PANTHER(W) 115



PANTHER(W)-TAP 115 BUFFALO(W)-R 116 ELK(W) 117 PENGUIN(W) 117 SHEEP(W) = SZ-N 118



HAND PROTECTION – STANDARDS

CATEGORY	PROTECTION REQUIREMENT, RISKS	PERMITS REQUIRED AND DOCUMENTATION
CATEGORY I.	Gloves designed to protect against minimal risks only. This standard defines the general requirements for protective gloves and establishes a guarantee for CE marking.	Manufacturers EU-declaration of conformity
CATEGORY II.	Gloves designed to protect against intermediate risks. Gloves in this category provide protection against risks that are more severe than minimal but not considered mortal.	Manufacturers EU-declaration of conformity + EU-type examination certificate
CATEGORY III.	Gloves with complex designs that protect against irreversible injuries and mortal risks. Gloves in this category are designed to protect against the highest levels of risk (e.g. highly corrosive acids).	Manufacturers EU declaration of conformity + EU-type examination certificate + production supervision

EN 420:2003+A1:2009 – PROTECTIVE GLOVES. GENERAL REQUIREMENTS AND TEST METHODS
EN ISO 21420:2020, EN ISO 21420:2020/A1:2024 – NEW GENERAL REQUIREMENTS AND TEST METHODS



EN 388:2016+A1:2019 – PROTECTIVE GLOVES AGAINST MECHANICAL RISKS

MARKING	PROTECTION CAPABILITY	UNIT	PROTECTION LEVEL					
			1	2	3	4	5	
A (1-4)	Resistance to abrasion	Number of cycles	>100	>500	>2000	>8000		
B (1-5)	Resistance to cut (Coup)	Index No.	>1,2	>2,5	>5,0	>10,0	>20,0	
C (1-4)	Resistance to tear	Newton	>10	>25	>50	>75		
D (1-4)	Resistance to puncture	Newton	>20	>60	>100	>150		
E (A-F)	Resistance to cut (TDM)	Newton	A	B	C	D	E	F
			>2	>5	>10	>15	>22	>30
F (P)	Resistance to impact	–	Exists or not					



EN 407:2004 – PROTECTIVE GLOVES AND OTHER HAND PROTECTIVE EQUIPMENTS AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A	Performance levels for limited flame spread	After-flame/glow time (s)	–	≤20 s / –	≤10 s / ≤120 s	≤3 s / ≤25 s	≤2 s / ≤5 s	–
B	Performance levels for contact heat	Threshold time ≥15 s	–	100 °C	250 °C	350 °C	500 °C	–
C	Performance levels for convective heat	Heat transfer index HTI (s)	–	≥4 s	≥7 s	≥10 s	≥18 s	–
D	Performance levels for radiant heat	Heat transfer t24 (s)	–	≥7 s	≥20 s	≥50 s	≥95 s	–
E	Performance levels for small splashes of molten metal	Number of 0.5 g droplets	–	≥10	≥15	≥25	≥35	–
F	Performance levels for large quantities of molten metal	Molten iron (g)	–	≥30	≥60	≥120	≥200	–



EN 12477:2001 – WELDING GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)
EN 12477:2001/A1:2005 – ARC WELDING GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)





EN 511:2006 – PROTECTIVE GLOVES AGAINST COLD

A	Resistance to convective cold	Insulation (m ² K/W)	–	≥0,10 and <0,15	≥0,15 and <0,22	≥0,22 and <0,30	≥0,30	–
B	Resistance to contact cold	Insulation (m ² K/W)	–	≥0,025 and <0,050	≥0,050 and <0,100	≥0,100 and <0,150	≥0,150	–
C	Permeability to water	Permeation in 30 minutes	Fail	Pass	–	–	–	–



EN ISO 374-1:2016 AND EN ISO 374-1:2016/A1:2018 – PROTECTIVE GLOVES AGAINST DANGEROUS CHEMICALS

PROTECTION INDEX	MEASURED PERMEATION TIME (MINUTES)
1	>10
2	>30
3	>60
4	>120
5	>240
6	>480

CODE	CHEMICAL SUBSTANCE	CLASS
A	Methanol	Primary alcohol
B	Acetone	Ketone
C	Acetonitrile	Nitrile compound
D	Dichloromethane	Chlorinated paraffin
E	Carbon disulphide	Sulphur containing organic compound
F	Toluene	Aromatic hydrocarbon
G	Diethylamine	Amine
H	Tetrahydrofuran	Ether and heterocyclic compound
I	Ethyl acetate	Ester
J	n-Heptane	Saturated hydrocarbon
K	40% sodium hydroxide	Inorganic base
L	96% sulphuric acid	Inorganic mineral acid, oxidizing
M	65% Nitric acid	Inorganic mineral acid, oxidizing
N	99% acetic acid	Organic acid
O	25% Ammonia	Organic base
P	30% Hydrogen peroxide	Peroxide
S	40% hydrofluoric acid	Inorganic mineral acid
T	37% Formaldehyde	Aldehyde



EN ISO 374-5:2016 – PROTECTIVE GLOVES AGAINST DANGEROUS MICRO-ORGANISMS
 1. PROTECTION AGAINST BACTERIA AND FUNGI 2. PROTECTION AGAINST BACTERIA, FUNGI, AND VIRUSES



EN 60903:2004 – LIVE WORKING. GLOVES OF INSULATING MATERIAL

CLASS	VOLTAGE LEVEL (VOLT)
00	500
0	1500
1	7500

CLASS	VOLTAGE LEVEL (VOLT)
2	17000
3	26500
4	36000

SPECIAL PROPERTIES:

A: Resistant to acid **H:** Resistant to oil **Z:** Resistant to ozone **R:** A, H and Z simultaneously **C:** Extremely low temperature



EN ISO 10819:2013, EN ISO 10819:2013/A1:2019, EN ISO 10819:2013/A2:2022
MECHANICAL VIBRATION AND SHOCK. HAND-ARM VIBRATION.
MEASUREMENT AND EVALUATION OF THE VIBRATION TRANSMISSIBILITY OF GLOVES AT THE PALM OF THE HAND



EN 16350:2014 – PROTECTIVE GLOVES. ELECTROSTATIC PROPERTIES.
PART 1: TEST METHOD FOR MEASUREMENT OF SURFACE RESISTIVITY



ASSEMBLY GLOVES



BE PRECISE! 'DRAGONFLY'

BLACKGRIP

Nylon/spandex assembly glove with foam nitrile coated palm

- Material: nylon/spandex
- Oil-resistant, foam nitrile coated palm
- Gauge: 15
- Ultra comfortable
- Oil-repellent palm
- Extra durable
- Contact heat resistance: 100 °C (30 s)
- Excellent grip
- Colour: fluorescent yellow cuff
- Certified for food industrial use
- Colour: black

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 407:2004



4121X

X1XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

The protective gloves meet the basic requirements of „BfR Recommendation XXI/1.(01.09.2024.) Category 3”, according to which they may come into contact with foodstuffs.

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton





DRAGONFLY-V

DRAGONFLY

Polyester assembly glove with PU coated palm

- Material: polyester
- Gauge: 13
- White PU coated palm
- Colour: white

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024



4131X



Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



Did you know?

The DRAGONFLY...



...is the master of the air. It can control its four wings independently, allowing it to hover, glide, and even fly backwards. It can stay aloft for hours, reaching speeds of up to 56 km/h. Its compound eyes contain nearly 30,000 tiny lenses, and its 360-degree vision aids in extremely efficient hunting.

HAND PROTECTION

DRAGONFLY-V Folded and suitable for vending machines

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



DRAGONFLY-ECO

Polyester assembly glove with PU coated palm, economical version

- Material: polyester
- Gauge: 13
- White PU coated palm
- Colour: white

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009



3121X



Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



DRAGONFLY-ECO-V

DRAGONFLY-ECO-V Folded version, suitable for vending machines

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton





SCARAB-V

SCARAB

Polyester assembly glove with PU coated palm

- Material: polyester
- Gauge: 13
- Black PU coated palm
- Colour: black

Sizes: 6-11

Standards:

EN 388:2016+A1:2018 EN 420:2003+A1:2009
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



4131X



Packaging:

1 12 240
pair pairs/pkg. pairs/carton



Did you know?

The SCARAB...



...is the role model of strongmen. It can roll objects up to a thousand times its own weight, making it one of the strongest creatures relative to its size. Using its antennae, it can detect dung from as far as 1 km away, and by burying it, the beetle plays a vital role in nutrient cycling.

SCARAB-V Folded version, suitable for vending machines

Packaging:

1 12 240
pair pairs/pkg. pairs/carton



SCARAB-ECO

Polyester assembly glove with PU coated palm, economical version

- Material: polyester
- Gauge: 13
- Black PU coated palm
- Colour: black

Sizes: 6-11

Standards:

EN 388:2016+A1:2018 EN 420:2003+A1:2009



3121X



Packaging:

1 12 240
pair pairs/pkg. pairs/carton



SCARAB-ECO-V

SCARAB-ECO-V Folded version, suitable for vending machines

Packaging:

1 12 240
pair pairs/pkg. pairs/carton





STONEFLY

Polyester assembly glove with PU coated palm

- Material: polyester
- Gauge: 13
- Grey PU coated palm
- Colour: grey

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024



4131X



Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



Did you know?

The STONEFLY...



...is the bioindicator of fresh water. As an aquatic insect, its larvae require extremely oxygen-rich water, making it an excellent marker of ecosystem purity. Their underwater development can last up to 3 years, yet adults live only a few days or weeks. Most do not feed at all, their sole purpose is reproduction. Belonging to one of the oldest groups of winged insects, stoneflies have existed for over 300 million years, predating even the dinosaurs!

HAND PROTECTION



STONEFLY-ECO

Polyester assembly glove with PU coated palm, economical version

- Material: polyester
- Gauge: 13
- Grey PU coated palm
- Colour: grey

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009



3121X



Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



STONEFLY-ECO-V

STONEFLY-ECO-V Folded version, suitable for vending machines

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton





BUTTERFLY

Polyester assembly glove with PU coated fingertips

- Material: polyester
 - Gauge: 13
 - White PU coated fingertips
 - Colour: white
- Individual packaging is discontinued (1 pair/bag), minimum order quantity: 12 pairs/pkg!

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024



0121X



Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



Did you know?

The BUTTERFLY...



...is the master of metamorphosis. It undergoes a complete transformation from egg to caterpillar, then pupa, and finally emerges as an adult butterfly, its body entirely rebuilt from new cells. With 5,000 taste receptors on its legs, the female can sense whether a plant's chemical composition is suitable for laying eggs. Below 13 °C, the butterfly cannot fly and becomes immobile. Its compound eyes, made of 15,000 tiny lenses, allow 360-degree vision and detect ultraviolet light.



BUTTERFLY-ECO

Polyester assembly glove with PU coated fingertips, economical version

- Material: polyester
- Gauge: 13
- White PU coated fingertips
- Colour: white

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009



X12XX



Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton





LOCUST

Nylon/spandex assembly glove with microfoam nitrile coated palm

- Material: nylon/spandex
- Gauge: 13
- Black, oil-resistant, microfoam nitrile coated palm
- PU dots on palm
- Colour: grey

Sizes: 7-11

Standards:

EN 388:2016+A1:2018



4121X

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024



Packaging:

1 pair
12 pairs/pkg.
240 pairs/carton



Did you know?

The LOCUST...



...is the champion of voracity. When swarming, it can form groups of up to 200 million individuals, covering thousands of square kilometers. With strong wings and endurance, it can travel several hundred kilometers a day while consuming its own body weight in food. Mentioned in the Bible as the 8th Egyptian plague, this prolific, resilient insect has ancestors that adapted to life on land 250 million years ago.

LOCUST-DOTLESS

Nylon/spandex assembly glove with microfoam nitrile coated palm

- Material: nylon/spandex
- Gauge: 13
- Black, oil-resistant, microfoam nitrile coated palm
- Colour: grey

Sizes: 7-11

Standards:

EN 388:2016+A1:2018



4121X

EN 420:2003+A1:2009

EN ISO 21420:2020



Packaging:

1 pair
12 pairs/pkg.
240 pairs/carton





TERMITE

Polyester assembly glove without coating

- Material: polyester
- Gauge: 13
- Without coating
- Colour: white

Sizes: 6-11

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



112XX



Packaging:

1 pair
 12 pairs/pkg.
 300 pairs/carton



Did you know?

The TERMITE...



...is the architect of nature. It lives in colonies of millions with strict hierarchy. Most workers are blind, yet they build towers 8–10 m tall, which by human scale would equal skyscrapers 4 km high. Inside, a complex ventilation system keeps the temperature at a steady 30 °C, perfect for the fungus farms that feed them. At the top stands the queen, living up to 25 years, laying 30,000 eggs a day.



WASP

Polyester assembly glove with foam latex coated palm

- Material: polyester
- Gauge: 13
- Black sandy, foam latex coated palm
- Colour: orange

Sizes: 7, 9, 11

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



2232X



Packaging:

1 pair
 12 pairs/pkg.
 240 pairs/carton



Did you know?

The WASP...



...is the master of stinging. Unlike bees, the female can sting multiple times because her smooth stinger does not tear from the victim. More than 100,000 wasp species exist, but not all are aggressive; many do not sting at all and live solitarily. Social species build nests from chewed wood, which can reach up to 3 m long. Despite its bad reputation, the wasp plays a key role in pest control, and some species are even more efficient pollinators than bees.





CICADA

Polyester assembly glove with nitrile coated palm

- Material: polyester
- Gauge: 13
- Black, oil-resistant, nitrile coated palm
- Colour: grey

Sizes: 7-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024



4121X



Packaging:

1 pair
12 pairs/pkg.
240 pairs/carton



Did you know?

The CICADA...



...is the loudest musician of summer. The male is the loudest insect in the world, producing songs reaching 120 decibels, louder than a chainsaw. It has the longest known insect life cycle, spending up to 17 years underground before emerging to reproduce. They emerge in massive numbers, with densities up to one billion per km², a unique survival strategy against predators. Adult life is very short, lasting only 2–6 weeks, focused entirely on reproduction.



BUZZARD

Polyester assembly glove with foam nitrile coated palm

- Material: polyester
- Gauge: 13
- Grey oil-resistant, foam nitrile coated palm
- Colour: white

Sizes: 7-11

Standards:

EN 388:2016+A1:2018

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024



4121X



Packaging:

1 pair
12 pairs/pkg.
240 pairs/carton



Did you know?

The BUZZARD...



...is the silent predator of the skies. Unlike other birds of prey, it is famous for its soaring flight, often circling for hours on air currents without moving its wings. Its vision is key to hunting, 6–8 times sharper than a human's. It is also sensitive to UV light, allowing it to detect rodent urine in the fields. It plays an important ecological role in farmland, controlling rodent populations. Monogamous, it forms long-term pair bonds.





SKIPPER

Polyester/spandex assembly glove with nitrile coating

- Material: polyester/spandex
- Gauge: 13
- Black, oil-resistant, foam nitrile coated to knuckle on the back
- Orange, anti-slip PVC dots on palm
- Colour: orange

Sizes: 6-11

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



Packaging:

1 pair
 12 pairs/pkg.
 240 pairs/carton



Did you know?

The SKIPPER...



...is the icon of aerial acrobats. Its name comes from the English word 'skip', due to its zigzag flight. A member of the butterfly order, it ranks among the fastest with top speeds of 30 km/h. It is easily recognized by its hooked antennae, as most butterflies have clubbed tips. A female can lay up to 250 eggs. The hatched larva (caterpillar) creates a secure shelter from rolled leaves, developing into adulthood without parental care.



CARACARA

Fully nitrile coated polyester assembly glove

- Material: polyester
- Gauge: 13
- Black nitrile coated palm and back
- Colour: grey

Sizes: 6-11

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



Packaging:

1 pair
 12 pairs/pkg.
 240 pairs/carton



Did you know?

The CARACARA...



...is the master of food theft. It belongs to the falcon family. Unlike most falcons, it hunts not only from the air but also on foot, covering several kilometers daily on the ground. Omnivorous and flexible, it eats live prey (rodents, bird eggs, insects) as well as carrion and fruit. Unlike many solitary predators, it hunts in groups, driving away vultures and hawks to seize their prey.



FLEXVIS

Polyester assembly glove with foam latex coated palm



- Material: polyester
- Black foam latex coated palm
- Gauge: 13
- Ultra comfortable and extra flexible
- Excellent grip
- Colour: yellow

Sizes: 6-11

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



1121X



Packaging:

1 pair
 12 pairs/pkg.
 240 pairs/carton



MANTIS

Cotton/spandex assembly glove with foam latex coated palm



- Material: cotton/spandex
- Gauge: 13
- Black, sandy, foam latex coated palm
- Flexible
- Colour: red

Sizes: 7, 9, 11

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



2121X



Packaging:

1 pair
 12 pairs/pkg.
 120 pairs/carton



Did you know?

The MANTIS...



...is the chameleon of insects. Blending into its environment, it can change color to avoid predators while stalking its own prey. It can rotate its head 180° and uses binocular vision to judge depth and distance, unique among insects. It strikes its prey in one-third the time of a blink (50 milliseconds), making it the fastest insect predator. One-quarter of its mating rituals end in cannibalism, when the female eats the male.





FIREANT

Polyester assembly glove with latex coated palm

- Material: polyester
- Gauge: 13
- Black, slip-resistant, sandy latex coated palm
- Contact heat resistance: 100 °C (24 s)
- Colour: red


Sizes: 7-11

Standards:



EN 420:2003+A1:2009
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024

Packaging:



Did you know?

The FIREANT...



...is the specialist of conquest. Originally from South America, it is now spread across almost every continent, displacing native ants and small vertebrates with its aggression. A fire ant colony builds a nest 2 meters in diameter and 1 meter deep in six months, housing up to one million individuals. They fiercely defend their nests, using both bites and venomous stings to paralyze opponents. The fire ant is a true beast, able to carry up to 50 times its own weight.



BUG

Polyester assembly glove with double latex coating

- Material: polyester
- Gauge: 13
- Orange, fully latex coated
- Black, sandy latex coated palm and fingers
- Colour: orange

Sizes: 7-11

Standards:



Packaging:



Did you know?

The ladybug (~BUG)...



...is the guardian of the garden. One of the iconic representatives among over one million known insect species, it is found worldwide on every continent except Antarctica. By feeding mainly on aphids, whiteflies, and other pests, it plays a crucial role in natural plant protection. Contrary to popular belief, the spots on its back do not indicate its age. Each species has a specific pattern that warns predators: 'do not eat me; I taste bad and may be toxic.'



ESD GLOVES



STAND THE STRESS!

'CHIPMUNK'

CHIPMUNK

Cut-, heat-resistant, ESD, ATEX-protected assembly glove

- Material: cut-resistant fiber, carbon, nylon, spandex
- 4-way-stretch liner, ultra lightweight base material
- Steel- and glass-fiber free
- Gauge: 18 - excellent dexterity (5) and tactile sensitivity
- Antistatic / ESD
- PU coated palm
- Cut-resistance level: 5/D
- Contact heat resistance: 100 °C (17 s)
- Extended nitrile thumb crotch reinforcement along thumb and index fingers
- Touchscreen compatible
- Certified for microelectronics and food industry use
- Certified for use in potentially explosive atmospheres (ATEX) and ESD protected area (EPA)
- Excellent ventilation, grip in dry, wet, oily conditions
- Colour: grey-red

Sizes: 6-11

EN 388:2016+A1:2018



4541D

Standards:

EN 407:2004



X1XXXX

EN 16350:2014



Electrostatic dissipative protective gloves

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

IEC 61340-5-1:2024

IEC 61340-5-4:2022

The protective gloves meet the basic requirements of "BfR Recommendation XXI/1. (01.09.2024.) Category 3", according to which they may come into contact with foodstuffs.

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



Did you know?

The CHIPMUNK...



...is the little treasurer of nature. Its cheek pouches are so elastic that it can carry up to three times the volume of its head in food. In its 3-4 meter long underground burrow it hibernates, but regularly wakes up for short feeding sessions.



• Antistatic: ESD, ATEX

• Touchscreen compatible

• Cut-resistance level: 5/D

• Carbon fibre, nylon, spandex material

• PU coated palm

• Contact heat resistance: 100 °C (17 sec)





ZEBRA-V

ZEBRA

Carbon fiber polyester ESD glove with PU coated palm

- Material: carbon fiber polyester
- Gauge: 13
- Antistatic / ESD
- PU coated palm
- Colour: grey

Sizes: 6-10

Standards:

EN 388:2016+A1:2018

EN 16350:2014



4131X

Electrostatic dissipative protective gloves

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



Did you know?

The ZEBRA...



...is the living barcode of nature. Its stripes – like human fingerprints – are completely unique, and they serve not only to confuse predators. Under the scorching sun, the black and white stripes heat up differently, creating micro air currents across the body's surface that help cool the zebra.

HAND PROTECTION

ZEBRA-V Folded version, suitable for vending machines

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



ZEBRA-ECO

Carbon fiber polyester ESD glove with PU coated palm, economical version

- Material: carbon fiber polyester
- Gauge: 13
- Antistatic / ESD
- PU coated palm
- Colour: grey

Sizes: 6-10

Standards:

EN 388:2016+A1:2018



3121X

EN 420:2003+A1:2009

IEC 61340-5-1:2016

IEC 61340-5-4:2022

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton





ZEBRA-1-V

ZEBRA-1

Carbon fiber polyester ESD glove with PU coated fingertips

- Material: carbon fiber polyester
- Gauge: 13
- Antistatic / ESD
- PU coated fingertips
- Colour: grey
- Sizes: 5-10**

Standards:

EN 388:2016+A1:2018 EN 16350:2014

X13XX **Electrostatic dissipative protective gloves**

EN 420:2003+A1:2009, EN ISO 21420:2020, EN ISO 21420:2020/A1:2024

Packaging:

1 pair
12 pairs/pkg.
240 pairs/carton

ZEBRA-1-V Folded version, suitable for vending machines

Packaging:

1 pair
12 pairs/pkg.
240 pairs/carton

ZEBRA-1-ECO

Carbon fiber polyester ESD glove with PU coated fingertips, economical version

- Material: carbon fiber polyester
- Gauge: 13
- Antistatic / ESD
- PU coated fingertips
- Colour: grey

Sizes: 6-10

Standards:

EN 388:2016+A1:2018

X12XX

EN 420:2003+A1:2009
IEC 61340-5-1:2016
IEC 61340-5-4:2022

Packaging:

1 pair
12 pairs/pkg.
240 pairs/carton



ZEBRA-2

Carbon fiber polyester ESD glove without coating



- Material: carbon fiber polyester
- Gauge: 13
- Antistatic / ESD
- Colour: grey

Sizes: 6-10

Standards:

EN 388:2016+A1:2018

EN 16350:2014



X13XX

Electrostatic dissipative protective gloves

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 300 pairs/carton



ZEBRA-2-ECO

Carbon fiber polyester ESD glove without coating, economical version



- Material: carbon fiber polyester
- Gauge: 13
- Antistatic / ESD
- Colour: grey

Sizes: 6-10

Standards:

EN 388:2016+A1:2018



X12XX

EN 420:2003+A1:2009

IEC 61340-5-1:2016

IEC 61340-5-4:2022

Packaging:

- 1 pair
- 12 pairs/pkg.
- 300 pairs/carton





DUCKBILL-DEN

Carbon striped nylon ESD glove

- Material: dense carbon striped nylon
- Antistatic / ESD
- Lint-free
- Colour: white

Sizes: S-XL

Standards:

EN 388:2016+A1:2018

EN 16350:2014



XX11X



Electrostatic dissipative protective gloves

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 300 pairs/carton



Did you know?

The DUCKBILL...



...is the oddball of mammals. An egg-laying mammal, its genes carry reptilian, avian, and mammalian traits simultaneously. Its bill is not a beak but a flexible skin-covered organ that allows it to locate prey underwater with precision using electrolocation. The female nurses her young without nipples: milk is secreted through her skin pores and licked up by the offspring. An excellent swimmer, it can stay submerged for up to 10 minutes on a single breath.



HIPPO

Carbon fiber, cut-resistant, nylon ESD glove with PU coated palm

- Material: carbon fiber, cut-resistant nylon
- Gauge: 13
- Cut-resistance level: 3/B
- Antistatic / ESD
- PU coated palm
- Colour: grey

Sizes: 7-11

Standards:

EN 388:2016+A1:2018

EN 16350:2014



4343B



Electrostatic dissipative protective gloves

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The HIPPO...



...is the dangerous giant of mammals. Despite weighing 3 tons, it can reach speeds of up to 30 km/h. It can open its mouth 150° and its bite force far exceeds that of a lion. Although it spends 16 hours a day in water, it cannot swim due to its weight, walking along the lake bottom and moving in short hops. It can remain submerged for up to 5 minutes on a single breath. Its skin secretes a reddish fluid that not only protects against UV rays under the African sun but also prevents infections.



CUT-RESISTANT AND KEVLAR® GLOVES



BE SOLID! 'ARMADILLO'

CUTVIS

Cut-resistant assembly glove with microfoam nitrile coated palm

- Material: cut-resistant fiber and Lycra®
- Gauge: 13
- Microfoam nitrile coated palm
- Cut-resistance level: 5/D
- Oil-repellent palm
- Contact heat resistance: 100 °C (21 s)
- Colour: yellow

Sizes: 6-11

Standards:

EN 388:2016+A1:2018

EN 407:2004



4542D

X1XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
12 pairs/pkg.
120 pairs/carton





SCALLOP

Cut-resistant glove with PU coated palm

- Material: HPPE and glass fiber
- Gauge: 13
- Cut-resistance level: 3/C
- Grey PU coated palm
- Colour: grey

Sizes: 6-11

Standards:

EN 388:2016+A1:2018



4343C



EN 420:2003+A1:2009

EN ISO 21420:2020

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The SCALLOP...



...is the fast swimmer of bivalves. Unlike most bivalves, it can swim actively by clapping its shell, moving through water like a jet at speeds of up to 1 m/s. Its shell edge may have 100–200 tiny blue eyes with reflective lenses, helping it detect changes in light and the movement of approaching predators. Many species are hermaphroditic, functioning as both male and female and capable of self-fertilization. In its natural habitat, it can live up to 20 years.



SCALLOP-ECO

Cut-resistant glove with PU coated palm, economical version

- Material: HPPE
- Gauge: 13
- Cut-resistance level: 3/B
- Grey PU coated palm
- Colour: grey

Sizes: 6-11

Standards:

EN 388:2016+A1:2018



4343B



EN 420:2003+A1:2009

EN ISO 21420:2020

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton





CROCODILE

Cut-resistant glove with PU coated palm

- Material: cut-resistant fiber and Lycra®
- Gauge: 13
- Cut-resistance level: 5/C
- Grey PU coated palm
- Colour: grey

Sizes: 7-11

Standards:

EN 388:2016+A1:2018



4543C



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- ▣ 120 pairs/carton



Did you know?

The CROCODILE...



...is the world champion of crushing jaws. It has the strongest bite in the animal kingdom, exerting over 1.5 tons of pressure. By slowing its heart rate to 2–3 beats per minute, it can stay underwater for up to 2 hours on a single breath. Unlike most reptiles, it is a caring parent, guarding its eggs and helping hatchlings reach the water. Thanks to an efficient metabolism, it can survive for weeks without food. A true survivor, it existed even before the appearance of dinosaurs.



TERRAPIN

Cut-resistant glove with double layer nitrile coating

- Material: cut-resistant fiber and Lycra®
- Gauge: 13
- Cut resistance: 5/E
- Base coating: nitrile on palm, to knuckle on the back
- Palm coating: foam nitrile
- Colour: grey

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



4544E



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- ▣ 120 pairs/carton



Did you know?

The TERRAPIN...



...is the salt-tolerance specialist of freshwater turtles. It is the only turtle species that can survive in brackish water, at the meeting points of seawater and river mouths, in salt marshes, and in lagoons. Specialized salt glands behind its eyes allow it to remove excess salt, similar to seabirds. Its developed spatial memory enables it to remember coastal structures, aiding navigation along the boundary of salt and freshwater and the relocation of its nesting and feeding sites.





ARMADILLO

Cut-resistant glove with PU coated palm

- Material: glass fiber polyester
- Gauge: 18
- Cut-resistance level: 3/B
- Black PU coated palm
- High dexterity
- Colour: grey

Sizes: 6-11

Standards:

EN 388:2016+A1:2018



4341B

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The ARMADILLO...



...is the armored knight of mammals. It is the only mammal with a shell made of tiny, flat bony plates embedded in the dermis. Its armor consists of several sections, giving it the flexibility that may allow it to curl up completely when defending against predators. Its vision is weak, but its sense of smell is exceptional and relied upon when foraging. During reproduction, the nine-banded armadillo gives birth to genetically identical quadruplets, a phenomenon unique among mammals.

HAND PROTECTION



LOBSTER

Cut-resistant knitted glove with latex coated palm

- Material: cotton-polyester
- Gauge: 7
- Cut resistance: 4/C
- Latex coated palm
- Knitted cuff
- Colour: white-red

Sizes: 9, 10

Standards:

EN 388:2016+A1:2018



4443C

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The LOBSTER...



...is the blue-blooded armored warrior of the seas. Its blood is blue because oxygen is carried by copper rather than iron. Its heart is located above the head, in the thorax. The lobster grows continuously throughout its life and can renew its cells, making it 'biologically quasi-immortal' in laboratory terms, not aging in the conventional way. It has remarkable regenerative abilities: if it loses a leg or claw, it can fully regrow it.





ELEPHANT-1P

ELEPHANT

Kevlar® knitted sleeve

- Material: 100% Kevlar®
- Made of 1 thread
- Thumbhole
- Cut-resistance: 4/C
- Contact heat resistance: 100 °C (30 s)
- Own production
- Colour: yellow

Length: 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60 cm

Standards: EN 388:2016+A1:2018 EN 407:2004 **CE**




EN 420:2003+A1:2009, EN ISO 21420:2020, EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 10 pairs/pkg.
- 100 pairs/carton



Did you know?

The ELEPHANT...



...is the largest giant of the land. The biggest known one weighed 12 tons and was 4.2 meters tall. Its iconic trunk is a nose extension, made of 40,000 muscles (the whole human body has about 650) and no bones. It has the longest pregnancy in the animal world: 22 months.

ELEPHANT-1P • Can be purchased individually • **Length:** 50, 60 cm

Packaging:

- 1 pc.
- 10 pcs./pkg.
- 200 pcs./carton



MAMMOTH-1T

Kevlar® knitted glove, made of 1 thread

- Material: 100% Kevlar®
- Gauge: 13
- Made of 1 thread
- Cut-resistance: 2/B
- Own production
- Colour: yellow

Sizes: 7-10

Standards: EN 388:2016+A1:2018 **CE**



**EN 420:2003+A1:2009
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024**

Packaging:

- 1 pair
- 10 pairs/pkg.
- 100 pairs/carton



Did you know?

The MAMMOTH...



...is the symbol of the Ice Age. Its iconic thick, woolly coat consisted of two layers: a long, shaggy outer layer and a dense, soft underlayer. Together with a 10 cm thick subcutaneous fat layer, this provided excellent insulation against the harsh Ice Age cold. The largest species could reach up to 4 meters at the shoulder and weigh around 6 tons – roughly the size of an African elephant. Its characteristic curved tusks grew continuously throughout its life, reaching up to 4 meters.



MAMMOTH-2T

Kevlar® knitted glove, made of 2 threads



- Material: 100% Kevlar®
- Gauge: 10
- Made of 2 threads
- Cut-resistance: 3/B
- Contact heat resistance: 100 °C (33 s)
- Own production
- Colour: yellow

Sizes: 7-11

Standards:

EN 388:2016+A1:2018

EN 407:2004



X34XB

X1XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 10 pairs/pkg
 100 pairs/carton



MAMMOTH-4T

Kevlar® knitted glove, made of 4 threads



- Material: 100% Kevlar®
- Gauge: 7
- Made of 4 threads
- Cut-resistance: 4/B
- Contact heat resistance: 100 °C (35 s)
- Own production
- Colour: yellow

Sizes: 9-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



X44XB

41XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 10 pairs/pkg
 100 pairs/carton





MAMMOTH-1T-LO

Kevlar® knitted glove, made of 1 thread

- Material: 100% Kevlar®
- Gauge: 13
- Made of 1 thread
- Cut-resistance: 2/B
- Length: 40 cm
- Own production
- Colour: yellow

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



X24XB



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 10 pairs/pkg
 100 pairs/carton



MAMMOTH-2T-LO

Kevlar® knitted glove, made of 2 threads

- Material: 100% Kevlar®
- Gauge: 10
- Made of 2 threads
- Cut-resistance: 3/B
- Contact heat resistance: 100 °C (33 s)
- Length: 40 cm
- Own production
- Colour: yellow

Sizes: 8-12

Standards:

EN 388:2016+A1:2018



X34XB

EN 407:2004



X1XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 10 pairs/pkg
 100 pairs/carton



MAMMOTH-4T-LO

Kevlar® knitted glove, made of 4 threads



- Material: 100% Kevlar®
- Gauge: 7
- Made of 4 threads
- Cut-resistance: 4/B
- Contact heat resistance: 100 °C (33 s)
- Length: 40 cm
- Own production
- Colour: yellow

Sizes: 9-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



X44XB

41XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:



MAMMOTH-1T-DOT

Kevlar® knitted glove, made of 1 thread, dotted



- Material: 100% Kevlar®
- Gauge: 13
- Made of 1 thread
- PVC dots on one side
- Cut-resistance: 2/B
- Contact heat resistance: 100 °C (17 s)
- Own production
- Colour: yellow

Sizes: 7-10

Standards:

EN 388:2016+A1:2018

EN 407:2004



X24XB

X1XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:





MAMMOTH-2T-DOT

Kevlar® knitted glove, made of 2 threads, dotted

- Material: 100% Kevlar®
- Gauge: 10
- Made of 2 threads
- PVC dots on one side
- Cut-resistance: 2/B
- Contact heat resistance: 100 °C (20 s)
- Own production
- Colour: yellow

Sizes: 7-11

Standards:

EN 388:2016+A1:2018

EN 407:2004



X24XB



X1XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1

10

100

pair pairs/pkg. pairs/carton



MAMMOTH-4T-DOT

Kevlar® knitted glove, made of 4 threads, dotted

- Material: 100% Kevlar®
- Gauge: 7
- Made of 4 threads
- PVC dots on one side
- Cut-resistance: 4/B
- Contact heat resistance: 100 °C (26 s)
- Own production
- Colour: yellow

Sizes: 9-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



244XB



X1XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1

10

100

pair pairs/pkg. pairs/carton



MAMMOTH-1T-DOT-LO

Kevlar® knitted glove, made of 1 thread, dotted



- Material: 100% Kevlar®
- Gauge: 13
- Made of 1 thread
- PVC dots on one side
- Cut-resistance: 2/B
- Contact heat resistance: 100 °C (17 s)
- Own production
- Long version
- Colour: yellow

Sizes: 7-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



X24XB



X1XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:



MAMMOTH-2T-DOT-LO

Kevlar® knitted glove, made of 2 threads, dotted



- Material: 100% Kevlar®
- Gauge: 10
- Made of 2 threads
- PVC dots on one side
- Cut-resistance: 2/B
- Contact heat resistance: 100 °C (20 s)
- Own production
- Long version
- Colour: yellow

Sizes: 8-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



X24XB



X1XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:





MAMMOTH-4T-DOT-LO

Kevlar® knitted glove, made of 4 threads, dotted

- Material: 100% Kevlar®
- Gauge: 7
- Made of 4 threads
- PVC dots on one side
- Cut-resistance: 4/B
- Contact heat resistance: 100 °C (26 s)
- Own production
- Long version
- Colour: yellow

Sizes: 9-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



244XB



X1XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:




 1 pair 10 pairs/pkg. 100 pairs/carton



MAMMOTH-4T-LIN

Kevlar® knitted glove, made of 4 threads, lined

- Material: 100% Kevlar® (outer shell), 100% cotton (inner shell)
- Gauge: 7
- Made of 4 threads
- Double shell, lined
- Cut-resistance: 5/D
- Contact heat resistance: 250 °C (18 s)
- Own production
- Colour: yellow

Sizes: 8-11

Standards:

EN 388:2016+A1:2018

EN 407:2004



254XD



42XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:




 1 pair 5 pairs/pkg. 100 pairs/carton



MAMMOTH-4T-LIN-LO

Kevlar® knitted glove, made of 4 threads, lined



- Material: 100% Kevlar® (outer shell), 100% cotton (inner shell)
- Gauge: 7
- Made of 4 threads
- Double shell, lined
- Cut-resistance: 5/D
- Contact heat resistance: 250 °C (18 s)
- Length: 40 cm
- Own production
- Colour: yellow

Sizes: 9-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



254XD

42XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 5 pairs/pkg.
 100 pairs/carton



MAMMOTH-4T-DLIN

Kevlar® knitted glove, made of 4 threads, double lined



- Material: 100% Kevlar® (outer shell), 100% cotton (inner shell)
- Gauge: 7
- Made of 4 threads
- Double shell, double lined
- Cut-resistance: 5/D
- Contact heat resistance: 350 °C (20 s)
- Length: 30 cm
- Own production
- Colour: yellow

Size: 14

Standards:

EN 388:2016+A1:2018

EN 407:2004



X54XD

43XXXX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 5 pairs/pkg.
 100 pairs/carton





MAMMOTH-4T-COW

Kevlar® knitted glove, made of 4 threads

- Material: 100% Kevlar®
- Gauge: 7
- Made of 4 threads
- Cow split leather palm, nail- and vein protection
- Cut-resistance: 4/C
- Contact heat resistance: 250 °C (16 s)
- Own production
- Colour: yellow

Sizes: 9-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



4444C



42XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1

5

100

pair pairs/pkg. pairs/carton



MAMMOTH-2T-FL

Kevlar® knitted glove, made of 2 threads

- Material: 100% Kevlar®
- Gauge: 10
- Made of 2 threads
- Tipless fingers
- Cut-resistance: 3/B
- Contact heat resistance: 100 °C (33 s)
- Own production
- Colour: yellow

Sizes: 7-12

Standards:

EN 388:2016+A1:2018

EN 407:2004



X34XB



X1XXXX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1

10

300

pair pairs/pkg. pairs/carton



DRIVER GLOVES



BE FAST! 'BLACKTERN'

PANTHER-TAP

Goat grain leather, touchscreen-compatible driver glove

- Material: goat grain leather, cotton
- Goat grain leather palm-, nail- and vein protection
- Capacitive areas on the thumb and index finger
- Red cotton back
- Adjustable cuff with velcro closure
- Leather colour: off-white

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



2112X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

■	□	□	□		
1	12	120			
pair	pairs/pkg.	pairs/carton			

Did you know?

The black PANTHER...



...is the shadow predator of dense forests. The name 'black panther' is a common term actually used for melanistic leopards and jaguars. Their dark coat is caused by a gene mutation leading to excess melanin. They are solitary hunters, mostly active at night.



PANTHER

Goat grain leather driver glove



- Material: goat grain leather, textile
- Goat grain leather palm-, nail- and vein protection
- Red cotton back
- Adjustable cuff with velcro closure
- Leather colour: off-white

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



2112X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

 1 pair
 12 pairs/pkg.
 120 pairs/carton



PANTHER-DLX

Goat grain leather driver glove



- Material: goat grain leather, textile
- Goat grain leather palm-, nail- and vein protection
- Orange cotton back
- Adjustable cuff with velcro closure
- Premium quality
- Leather colour: off-white

Sizes: 8-12

Standards:

EN 388:2016+A1:2018



3112X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

 1 pair
 12 pairs/pkg.
 120 pairs/carton





AKEPA

Synthetic leather driver glove

- Material: synthetic leather, canvas
- Synthetic leather palm
- Nail protector
- Flexible back
- Adjustable cuff with velcro closure
- Anti-slip, padded palm
- Leather colour: grey
- Back colour: orange

Sizes: M-XL

Standards:

EN 388:2016+A1:2018



4232X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
12 pairs/pkg.
120 pairs/carton



Did you know?

The AKEPA...



...is the tiny, native songbird of the Hawaiian forests. Measuring only about 12 cm and weighing 12–16 grams, it is remarkably small considering the structure and function of its bill. Its unique, hooked, cross-opening bill allows it to extract hidden insects from bark crevices, which other birds cannot reach. Extremely patient, it can spend several hours inspecting the bark of a single tree. Its monogamous nature is rare among songbirds.



BLACKTERN

Synthetic leather driver glove

- Material: synthetic leather, canvas
- Synthetic leather palm
- Nail protector
- Flexible back
- Adjustable cuff with velcro closure
- Leather colour: black
- Back colour: black

Sizes: M-XL

Standards:

EN 388:2016+A1:2018



3121X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
12 pairs/pkg.
120 pairs/carton



Did you know?

The BLACK TERN...



...is the dark hunter of shallow lakes. Belonging to the gull family, it is named after its nearly black plumage. Its life is closely tied to water: it inhabits lakes, marshes and reedbeds, where it hunts insects and small aquatic creatures. It builds a unique nest made of aquatic plants and reeds, which floats on the surface of the water — making fluctuations in water level a serious risk for breeding. A marathon migrant, it may travel as far as 10,000 kilometres every year.





GREYWOLF-1

Cow grain leather driver glove

- Material: bovine grain leather
- Cow grain leather palm and back
- 100% cotton hem
- Short cuff
- Colour: grey

Sizes: 8-11

Standards:

EN 388:2016+A1:2018



4132X



EN 420:2003+A1:2009

Packaging:

■ □ ▢
 1 12 120
 pair pairs/pkg. pairs/carton



Did you know?

The GREY WOLF...



...is the pack's famous team player. A wolf pack follows a strict hierarchy, with the alpha pair at the top, while subordinates assist in hunting and raising pups. It is an excellent runner: sprinting up to 60 km/h, and maintaining 8–10 km/h for hours, covering as much as 60–70 km. Its sense of smell is about 100 times stronger than a human's, and its sharp hearing allows it to detect the iconic howls of packmates from as far as 10 km away.



GREYWOLF-2

Cow grain- and split leather driver glove

- Material: bovine grain- and split leather
- Cow grain leather palm and split leather back
- 100% cotton hem
- Short cuff
- Colour: grey

Sizes: 8-11

Standards:

EN 388:2016+A1:2018



4122X



EN 420:2003+A1:2009

Packaging:

■ □ ▢
 1 12 120
 pair pairs/pkg. pairs/carton





GREYWOLF-3

Cow split leather driver glove

- Material: bovine split leather
- Cow split leather palm and back
- 100% cotton hem
- Short cuff
- Colour: grey

Sizes: 9-11

Standards:

EN 388:2016+A1:2018



4143X



EN 420:2003+A1:2009

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



BLUEWOLF

Goat grain leather driver glove

- Material: goat leather, textile
- Goat grain leather palm-, nail- and vein protection
- Blue cotton back
- Leather colour: off-white

Sizes: 8-12

Standards:

EN 388:2016+A1:2018



4112X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The BLUE WOLF dog...



...is a striking hybrid, not a distinct species but a cross between the domestic dog and the wolf. Its bluish-grey coat is usually inherited from husky, malamute or German shepherd lines, not from wolf genes. The bluish tone results from reduced pigment in the hair shaft. It is more independent and stubborn than most dogs, harder to train due to wolf ancestry, and its keeping is often restricted or requires a permit.



DOCKER'S GLOVES



BE UP TO THE WORKLOAD!

'BUFFALO'

BULL-GA

Cow split leather glove, thickness: "A"

- Material: bovine split leather, cotton textile
 - Cow split leather palm-, knuckle-, nail- and vein protection
 - Turquoise palm-, thumb- and index finger reinforcement
 - Canvas back, laminated cuff
 - Cotton palm lining
 - Cut resistance: 2/B
 - Extra strong – leather thickness: "A"
 - Colours: grey leather, striped back and cuff
- Sizes:** 10,5; 11; 12

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024
 CE



Packaging:

1 pair 12 pairs/pkg. 120 pairs/carton



Did you know?

The BULL...



...is the embodiment of strength and endurance. It is the male of cattle and in many cultures a symbol of power, courage, and fertility. Contrary to myth, it is angered by motion, not red, since it cannot see that color.



BULL-GB

BULL-GB: "B" thickness **Size:** 10,5

Packaging:

1 pair 12 pairs/pkg. 120 pairs/carton



OXEN-Y

Cow split leather glove

- Material: cow split leather, cotton
 - Cow split leather palm-, knuckle-, nail- and vein protection
 - Striped canvas back and cuff
 - Cotton palm lining
 - Leather thickness: "B"
 - Colours:
 - grey leather
 - striped back and cuff
- Size:** 10,5

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024
 CE



Packaging:

1 12 120
 pair pairs/pkg. pairs/carton



Did you know?

The ox (~OXEN)...



...is the champion of endurance. It is a castrated male cattle, valued for its calm nature and great strength. For millennia it has been a key partner in farming, and in many cultures it symbolizes perseverance, power, and service.



OXEN-S

OXEN-S: Colours: grey leather, striped back & cuff

Standards: EN 388:2016+A1:2018

Packaging:

1 12 120
 pair pairs/pkg. pairs/carton



HAND PROTECTION



BUFFALO-A

Cow split leather glove

- Material: cow split leather, textile
- Cow split leather palm-, knuckle-, nail- and vein protection
- Canvas back, laminated cuff
- Cotton palm lining
- For heavy work
- Colours:
 - grey leather
 - blue back and cuff

Sizes: 9,5; 10,5; 11

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024
 CE



Packaging:

1 pair
 12 pairs/pkg.
 120 pairs/carton



Did you know?

The BUFFALO...



...is the ruler of swamps and plains. One group is the Asian water buffalo, valued for its docility and used as a draft animal on rice fields. The other is the African buffalo, known for its aggressive nature and massive crescent-shaped horns.



BUFFALO-O

Colours: grey-orange



BUFFALO-R

Colours: grey-red



BUFFALO-Y

Colours: grey-yellow





GAUR = 1015N-M

Cow split leather glove

- Material: cow split leather, canvas
- Cow split leather palm-, knuckle-, nail- and vein protection
- Canvas back and cuff
- For heavy work
- Own production
- Colours:
 - grey leather
 - green back and cuff

Sizes: 11-14

Packaging:

1 pair
 10 pairs/pkg.
 120 pairs/carton



Did you know?

The GAUR...



...is the world's largest wild cattle. It can reach 2.3 meters at the shoulder and weigh up to 1.5 tons. Despite this, it may leap fences 1.8 meters high from a standstill, and its speed can exceed 40 km/h. With immense strength, it commands respect even from top predators; tigers and lions have perished in battles with the gaur. Its lower legs bear distinctive 'white stockings', which give it a unique appearance alongside its dark, glossy coat.



ZEBU

Furniture leather glove

- Material: furniture leather, canvas, cotton
- Furniture leather palm-, knuckle-, nail- and vein protection
- Canvas back and cuff
- Cotton palm lining
- Colours:
 - coloured leather
 - unicolour back and cuff

Size: 10,5

Standards:

EN 388:2016+A1:2018
 EN 420:2003+A1:2009
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024
 4244X



Packaging:

1 pair
 12 pairs/pkg.
 120 pairs/carton



Did you know?

The ZEBU...



...is the farmers' loyal draught animal. Originating from India, it has been domesticated for over 8,000 years and is a tropical cattle breed. Its distinctive muscular hump between neck and shoulders stores energy as fat. Thick, loose skin folds, especially on the neck and underbelly, help release heat, preventing heatstroke even at 45 °C. Compared to other cattle, it is far more resistant to tropical diseases, including infections from ticks and protozoan blood parasites.





GNU

Cow grain leather glove

- Material: cow grain leather, cotton
- Cow grain leather palm-, knuckle-, nail- and vein protection
- Canvas back, laminated cuff
- Cotton palm lining
- For heavy work
- Colours:
 - off-white leather,
 - green back and cuff

Size: 10,5

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024

 3142X **CE**

Packaging:

 1 pair
 12 pairs/pkg.
 120 pairs/carton



Did you know?

The GNU...



...is the wanderer of the endless African savannas. Over 1.5 million blue gnus in the Serengeti–Masai Mara ecosystem undertake an annual migration of ~2,900 km, one of the largest terrestrial animal movements on Earth. They travel in groups with zebras and gazelles. Grazing on different plants prevents competition, while grouping increases safety from predators. In flight, it can sprint up to 80 km/h, yet it can sustain a speed of 50 km/h for hours.



YAK = 1015YR

Cow split leather glove

- Material: cow split and grain leather, canvas, cotton
- Cow split leather palm-, knuckle-, nail- and vein protection
- Grain leather palm reinforcement
- Canvas back, laminated cuff
- Cotton palm lining
- Extra strong
- Colours:
 - yellow leather,
 - striped back and cuff

Size: 10,5

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024

 4244X **CE**

Packaging:

 1 pair
 12 pairs/pkg.
 120 pairs/carton



Did you know?

The YAK...



...is the hardy giant of the mountains' rarefied air. It inhabits the highlands of Central Asia and the Himalayas, adapted to oxygen levels that would be deadly for other large animals. Its exceptional cold tolerance comes from dense, long, multilayered fur and a thick subcutaneous fat layer, allowing it to withstand temperatures as low as -40 °C. Domesticated for over 4,000 years, the yak provides the Tibetan and Himalayan peoples with rich milk, meat, wool, and is used as a pack animal.



WELDING GLOVES



STAND THE HEAT!

'CARACAL'

BLAZECAT-A-GA

Did you know?

Cow split leather welding glove

The African wild cat (~BLAZECAT)...

- Materials: spark-resistant cow split leather, flame-retardant Kevlar® fiber
- Suitable for arc welding
- Antistatic
- Leather reinforcement on palm, index finger and wrist
- Safety cuff in split leather, length 19 cm
- Contact heat resistance: 350 °C (16 s)
- Colour: blue

Standards:

EN 12477:2001 EN 12477:2001/A1:2005
 (Suitable for arc welding)




4344 433X3X CE

Packaging:

■ □ ▢

1 12 60
 pair pairs/pkg. pairs/carton



Size: 10,5



...is the stealthy predator of the hot savanna. It tolerates heat and drought exceptionally well, and is both a skilled jumper and a fast sprinter. Rodents top its menu, with up to 1,000 eaten per year. It is the closest wild relative of the domestic cat.



DINGO

Cow split leather welding glove

- Material: cow split leather
- Protection against flame
- Suitable for arc welding
- Contact heat resistance: 100 °C (39 s)
- Cow split leather palm, back and cuff
- Unlined
- Length: 35 cm
- Colour: grey

Size: 10,5

Standards:



EN 12477:2001/A1:2005
(Suitable for arc welding)



Packaging:



Did you know?

The DINGO...



...is the legendary predator of the Australian wilderness. It is the continent's largest canine predator, reaching 1.2 m in length. One of the most versatile carnivores, its menu spans hundreds of species, from insects and reptiles to larger mammals.

HAND PROTECTION



FLAMEFOX-R-GA

Cow split leather welding glove

- Material: cow split leather, textile
- Protection against flame
- Contact heat resistance: 100 °C (32 s)
- Seamless leather palm
- Lined
- Lining: 100% cotton
- Length: 35 cm
- Leather thickness: "A"
- Colour: red

Size: 10,5

Standards:

EN 12477:2001 EN 12477:2001/A1:2005
 (Suitable for arc welding)





4344 433X3X

Packaging:

1 12 60
 pair pairs/pkg. pairs/carton



Did you know?

The fennec fox (~FLAMEFOX)...



...is the heat-regulating master of the Sahara Desert. It is the world's smallest fox, yet has the largest ears relative to body size. These not only aid in cooling but also allow it to detect prey such as insects, rodents, and lizards from up to 100 m away.




FLAMEFOX-R-GB

Cow split leather welding glove

- Material: cow split leather, textile
- Protection against flame
- Contact heat resistance: 100 °C (39 s)
- Seamless leather palm
- Lined
- Lining: 100% cotton
- Length: 35 cm
- Leather thickness: "B"
- Colour: red

Size: 10,5

Standards:



Packaging:



FLAMEFOX-S-GB

Cow split leather welding glove

- Material: cow split leather, textile
- Protection against flame
- Contact heat resistance: 100 °C (39 s)
- Seamless leather palm
- Lined
- Lining: 100% cotton
- Length: 35 cm
- Leather thickness: "B"
- Colour: grey

Size: 10,5

Standards:



Packaging:





CARACAL

Sheep grain leather heat resistant glove

- Material: sheep leather
- Protection against flame
- Contact heat resistance: 100 °C (45 s)
- Sheep grain leather palm and back
- Short cuff
- Unlined
- Colour: grey

Sizes: 9, 10

Standards:

EN 388:2016+A1:2018

EN 407:2004



3112X



411X4X

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair 12 pairs/pkg. 120 pairs/carton



Did you know?

The CARACAL...



...is the resilient master of heat and drought. This medium-sized wildcat can survive several days without water, extracting it only from its prey. This is a crucial factor in its wide distribution across African savannas, semi-deserts, and the drier regions of the Middle East. Its long ear tufts are not only striking but help focus attention and improve prey sound localization. It can leap up to 3 meters to catch prey, mostly birds.



CARACAL-LO

Sheep grain leather welding glove

- Material: sheep grain leather, cow split leather
- Protection against flame
- Contact heat resistance: 100 °C (26 s)
- Sheep grain leather palm and back
- Long cow split leather cuff
- Suitable for ARGON or TIG welding
- Unlined
- Length: 35 cm
- Colour: grey

Sizes: 6-11

Standards:

EN 12477:2001



3112



411X4X

Packaging:

1 pair 12 pairs/pkg. 120 pairs/carton



KNITTED AND CUT-AND-SEWN GLOVES



BE PERSISTENT!

'ALPACA'

ORIBI

Knitted glove, made of 2 threads

- Material: 65% cotton, 35% polyester
- Gauge: 10
- Made of 2 threads
- Colour: off-white

Sizes: 8-10

Standards:

EN 388:2016+A1:2018



X12XX

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 12 480
 pair pairs/pkg. pairs/carton



Did you know?

The ORIBI...



...is the leaping dancer of the African savanna. This small antelope can sprint at up to 80 km/h for short distances. Its quick, direction-changing jumps help it escape predators like cheetahs, leopards, and hyenas efficiently.





ALPACA

Knitted glove, made of 3 threads

- Material: 100% polyamide
- Gauge: 13
- Made of 3 threads
- Own production
- Colour: white

Sizes: 7-11

Standards:

EN 388:2016+A1:2018



123XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair 10 pairs/pkg. 300 pairs/carton



Did you know?

The ALPACA...



...is the soft fleece of the high mountains. The smallest member of the camel family, it is native to the Andes, thriving at 4–5,000 meters, enduring low oxygen and cold. Highly social, it lives in herds and forms strong bonds. Its population is almost entirely domesticated. Its fine fleece is among the softest in the world, warm, hypoallergenic, and comes in many colors, making it highly valued in the textile industry.



ALPACA-LO

Knitted glove, made of 3 threads

- Material: 100% polyamide
- Gauge: 13
- Made of 3 threads
- Long cuff
- Own production
- Colour: white

Size: 10

Standards:

EN 388:2016+A1:2018



123XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair 10 pairs/pkg. 300 pairs/carton





ALPACA-FL

Knitted glove, made of 3 threads, without fingertips

- Material: 100% polyamide
- Gauge: 10
- Made of 3 threads
- Own production
- Colour: white

Sizes: 8-10

Standards:

EN 388:2016+A1:2018



123XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:




 1 10 300
 pair pairs/pkg. pairs/carton



ALPACA-PL

Knitted glove, made of 3 threads

- Material: 58% polyamide (outer shell), 42% cotton (inner shell)
- Double-layered, plated
- Gauge: 13
- Made of 3 threads
- Own production
- Colour: off-white

Sizes: 6-13

Standards:

EN 388:2016+A1:2018



2141X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:




 1 10 500
 pair pairs/pkg. pairs/carton



ALPACA-PL-LO

Knitted glove, made of 3 threads



- Material: 58% polyamide (outer shell), 42% cotton (inner shell)
- Double-layered, plated
- Gauge: 13
- Made of 3 threads
- Long version
- Own production
- Colour: off-white

Sizes: 6-14

Standards:

EN 388:2016+A1:2018



2141X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 10 pairs/pkg.
 300 pairs/carton



GUANACO-PL

Knitted glove, made of 2 threads



- Material: 58% polyamide (outer shell), 42% cotton (inner shell)
- Double-layered, plated
- Gauge: 13
- Made of 2 threads
- Own production
- Colour: off-white

Sizes: 6-11

Standards:

EN 388:2016+A1:2018



0120X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
 50 pairs/pkg.
 500 pairs/carton



Did you know?

The GUANACO...



...is the master of high-altitude adaptation. An ancient camelid of the Andean slopes, it thrives in dry, cold, oxygen-poor environments. It tolerates extreme temperature swings, from +30 °C in the daytime to -20 °C at night. The guanaco is the ancestor of the fully domesticated llama. For South American indigenous peoples, it was a key wild animal for meat, hide, and fleece. It is not only a fast runner (~55 km/h) but fiercely protective, boldly confronting even a puma, to defend its young.





BONGO

Knitted glove, made of 3 threads

- Material: 100% cotton
- Gauge: 10
- Made of 3 threads
- Own production
- Colour: off-white

Sizes: 7-13

Standards:

EN 388:2016+A1:2018



X12XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- ▣ 10 pairs/pkg.
- ▣ 300 pairs/carton



Did you know?

The BONGO...



...is the striped ghost of Africa's tropical forests. The world's largest forest antelope, it can exceed 3 meters in body length. Among Africa's big game, it is one of the most secretive and rarely seen. Its reddish-brown coat bears white stripes that mimic sunlight filtering through dense jungle foliage, aiding camouflage. Both sexes have horns, which is rare among antelopes. Males and females carry spirally twisted horns that can reach up to 1 meter.



BONGO-S

Knitted glove, made of 3 threads

- Material: 100% cotton
- Gauge: 10
- Made of 3 threads
- Own production
- Colour: coloured

Sizes: 7-13

Standards:

EN 388:2016+A1:2018



X12XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- ▣ 5 pairs/pkg.
- ▣ 200 pairs/carton





BONGO-LIN

Knitted glove, made of 3 threads

- Material: 100% cotton
- Double-layered, lined
- Cut resistance: 3/B
- Gauge: outer part: 10, lining: 7
- Outer shell: made of 3 threads, lining: made of 4 threads
- Own production
- Colour: off-white

Sizes: 8-12

Standards:

EN 388:2016+A1:2018



X32XB



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair 5 pairs/pkg 200 pairs/carton



BONGO-S-LIN

Knitted glove, made of 3 threads

- Material: 100% cotton
- Double-layered, lined
- Gauge: outer part: 10, lining: 7
- Outer shell: made of 3 threads, lining: made of 4 threads
- Contact cold resistance: level 1
- Own production
- Colour: coloured

Sizes: 9-11

Standards:

EN 388:2016+A1:2018



X22XX

EN 511:2006



010



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair 5 pairs/pkg 200 pairs/carton






BONGO-LIN-AC

Knitted glove, made of 2 threads

- Material: 100% acrylic
- Double-layered, lined
- Gauge: outer part: 10, lining: 7
- Outer shell: made of 2 threads, lining: made of 4 threads
- Contact cold resistance: level 1
- Own production
- Colour: navy blue

Sizes: 9-12

Standards:



EN 420:2003+A1:2009
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024

Packaging:



PUKU

Knitted glove, made of 2 threads

- Material: 100% cotton
- Gauge: 10
- Made of 2 threads
- Colour: off-white

Sizes: 8-10

Standards:



Packaging:



Did you know?

The PUKU...



...is the golden watchful guardian of the grasslands. This antelope lives in the wet, grassy regions of Central and Southern Africa. Its name comes from the Bantu "puku-puku," as it whistles like a human when spotting predators. A skilled sprinter, it escapes danger with sudden, jerky leaps.



PUKU-V

PUKU-V Folded version, suitable for vending machines Sizes: 7-9

Packaging:





IMPALA-FL

IMPALA

Knitted glove, made of 2 threads

- Material: 100% cotton
- Gauge: 10
- Made of 2 threads
- Own production
- Colour: off-white

Sizes: 7-13

Standards:

EN 388:2016+A1:2018 **EN 420:2003+A1:2009**
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024



X12XX



Packaging:

1 pair 10 pairs/pkg. 300 pairs/carton



Did you know?

The IMPALA...



...is the airy acrobat of the savanna. With a single leap it can reach 3 meters high and 10 meters long, while its top speed of 90 km/h makes it the fastest antelope species. Its unique ability allows a female impala to delay giving birth by up to one month if conditions are unfavorable.

HAND PROTECTION

IMPALA-FL

Knitted glove, made of 2 threads, without fingertips

Sizes: 8-10

Packaging:

1 pair 10 pairs/pkg. 300 pairs/carton



IMPALA-LO

Knitted glove, made of 2 threads

- Material: 100% cotton
- Gauge: 10
- Made of 2 threads
- Long cuff
- Own production
- Colour: off-white

Sizes: 9-11

Standards:

EN 388:2016+A1:2018



X12XX



EN 420:2003+A1:2009
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024

Packaging:

1 pair 10 pairs/pkg. 300 pairs/carton





GORAL

Knitted glove, made of 8 threads

- Material: 100% cotton
- Gauge: 7
- Made of 8 threads
- Own production
- Colour: off-white

Sizes: 8-11

Standards:

EN 388:2016+A1:2018



X13XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- ▣ 10 pairs/pkg.
- ▣ 200 pairs/carton



Did you know?

The GORAL...



...is the mountaineer of steep slopes. This goat-antelope excels on the rocky mountains of Asia, thanks to its flexible hooves that provide exceptional grip. Its dense, gray-brown coat helps it stay hidden from snow leopards, wolves, and large birds of prey. Its hardness is well known: it tolerates the thin air of high altitudes (its stronger lung capacity supports more efficient blood oxygenation) and the extreme temperature swings.



TABBY

Knitted glove

- Material: polyamide/polyester/cotton
- Gauge: 7
- Cut resistance: 3/B
- Own production
- Colour: mixed

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



234XB



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- ▣ 10 pairs/pkg.
- ▣ 200 pairs/carton



Did you know?

The TABBY cat...



...is the purring striped hunter. "Tabby" does not denote a breed but refers to the coat pattern inherited from wildcats. Patterns vary, resulting from hair pigmentation and the banded coloration of individual hairs. All tabbies feature an "M" on the forehead, one of the clearest identifying marks. The cat's cultural significance is immense; it was revered as a sacred animal even in ancient Egypt.





VICUNA

Knitted glove, made of 9 threads

- Material: 77% polyester (outer shell), 23% cotton (inner shell)
- Double-layered, plated
- Gauge: 7
- Cut resistance: 3/B
- Made of 9 threads
- Own production
- Colour: off-white

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



234XB



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1	10	200
pair	pairs/pkg.	pairs/carton



Did you know?

The VICUNA...



...is the world's finest wool bearer. Its coat is extremely dense and soft, measuring just 12 microns, making it the finest natural animal fiber on Earth. Revered by the ancient Incas as "a gift of the gods", its wool was reserved for garments worn only by rulers and nobles. Thanks to its large lungs and heart, it is highly adapted to the oxygen-poor high-altitude environment. After near extinction in the 20th century due to over-hunting, its population has stabilized under protection.



AGOUTI

Lint-free microfibre glove

- Material: 100% microfibre nylon
- Elastic cuff
- Colour: white

Sizes: 7-11

Standards:

EN 388:2016+A1:2018



X11XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1	10	500
pair	pairs/pkg.	pairs/carton



Did you know?

The AGOUTI...



...is the silent seed treasurer of Central and South American rainforests. Contrary to popular belief, it is not a larger guinea pig, though both are rodents. It is the only rodent capable of cracking the extremely hard shell of a Brazil nut. Each year, it buries thousands of seeds, many of which it does not retrieve, effectively becoming the rainforest's gardener. Its longer hind legs allow it to escape predators with a characteristic "antelope-like" bounding hop.





MARA

Lint-free interlock glove

- Material: 100% nylon
- Cut and sewn
- Without cuff
- Colour: white

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



X12XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 600 pairs/carton



Did you know?

The MARA...



...is the monogamous rodent of the pampas. It is almost entirely restricted to Argentina's arid grasslands. Although its appearance is sometimes described as hare-like, it is actually a close relative of the guinea pig. The mara chooses a mate for life, lives in small family groups with strong social bonds. Thanks to its powerful hind legs can reach 50 km/h, ranking among the fastest guinea pig relatives.



MOUSE

Interlock glove

- Material: 100% cotton
- Cut and sewn
- Without cuff
- Colour: white

Sizes: 6-12

Standards:

EN 388:2016+A1:2018



X11XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 600 pairs/carton



Did you know?

The MOUSE...



...is the prolific adventurer of hidden nooks. Native to Europe and Northwestern Asia, it has rapidly spread worldwide thanks to its remarkable adaptability. Incredibly fertile, a female can produce up to 200 offspring per year. An outstanding jumper, some species can leap up to 30 times their body length. It sleeps in short, repeated bursts during the day and is active at night. Its sense of smell and hearing are highly developed, while its eyesight is poor.



DOTTED GLOVES



BE DEVOTED! 'VICUNA-DOT'

TABBY-DOT

Slip-resistant dotted knitted glove

- Material: polyester/cotton
- Gauge: 7
- Cut resistance: 3A
- Made of 9 threads
- PVC dots on one side
- Own production
- Colour: mixed

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



X34XA



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 10 200
pair pairs/pkg. pairs/carton



KUDU

Slip-resistant dotted knitted glove

- Material: 65% cotton, 35% polyester
- Gauge: 10
- Made of 2 threads
- PVC dots on one side
- Colour: off-white

Sizes: 9, 11

Standards:

EN 388:2016+A1:2018



X12XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

■	□	□□
1	12	240
pair	pairs/pkg.	pairs/carton



Did you know?

The KUDU...



...is the spiraled-crowned prince of the savanna. Its body displays white stripes – unique like human fingerprints – that help it stay hidden in the brush. Males bear long, spiraled horns, which can grow to nearly 2 meters.

HAND PROTECTION



ALPACA-PL-DOT

Slip-resistant dotted knitted glove

- Material: 58% polyamide (outer shell), 42% cotton (inner shell)
- Double-layered, plated
- Gauge: 13
- Made of 3 threads
- PVC dots on one side
- Own production
- Colour: off-white

Sizes: 6-13

Standards:

EN 388:2016+A1:2018



3141X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 10 500
pair pairs/pkg. pairs/carton



VICUNA-DOT

Slip-resistant dotted knitted glove

- Material: 77% polyester (outer shell), 23% cotton (inner shell)
- Double-layered, plated
- Gauge: 7
- Cut resistance: 3/B
- Made of 9 threads
- PVC dots on one side
- Own production
- Colour: off-white

Sizes: 7-12

Standards:

EN 388:2016+A1:2018



434XB



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

■	□	□
1	10	200
pair	pairs/pkg.	pairs/carton





IMPALA-DOT

Slip-resistant dotted knitted glove

- Material: 100% cotton
- Gauge: 10
- Made of 2 threads
- PVC dots on one side
- Own production
- Colour: off-white

Sizes: 8-12

Standards:

EN 388:2016+A1:2018



X12XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 10 300
 pair pairs/pkg. pairs/carton



IMPALA-DOT-ECO

Slip-resistant dotted knitted glove, economical version

- Material: 100% cotton
- Gauge: 10
- Made of 2 threads
- PVC dots on one side
- Colour: off-white

Sizes: 8-10

Standards:

EN 388:2016+A1:2018



X12XX



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 12 300
 pair pairs/pkg. pairs/carton



COATED GLOVES



BE DURABLE!

'PARULA'

BLUEBIRD

Nitrile coated cotton glove

- Material: 100% cotton
- Blue nitrile coating on palm and back
- Knitted cuff
- Colour: off-white

Sizes: 9, 10

Standards:

EN 388:2016+A1:2018



4311X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

When tested according to the EN 374-4:2013 standard, the degradation of the protective gloves against isooctane is: 22.8%.

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The BLUEBIRD...



...is the tiny songster of happiness. Weighing only 40 g, it has remarkable endurance, capable of traveling 3,000 km annually between breeding and wintering sites. Its feather color comes from microstructure rather than pigment, absorbing all colors but blue.





MARABOU-A

Nitrile coated cotton glove

- Material: 100% cotton
- Blue nitrile coating on palm and back to the knuckle
- Knitted cuff
- Coating thickness: "B"
- Colour: off-white

Sizes: 8-10

Standards:

EN 388:2016+A1:2018



3111X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

■ □ ▢
 1 12 240
 pair pairs/pkg. pairs/carton



Did you know?

The MARABOU...



...is the bare-headed janitor of the savanna. Native to sub-Saharan Africa, it has adapted so well that it is also found near human settlements and garbage dumps. Primarily a scavenger, its bare head and neck are an adaptation that provides hygienic advantages. Although people are disgusted by its activities, it plays an important role in the ecosystem. Standing up to 1.5 meters tall, with a wingspan of 3.2 meters, it ranks among the world's largest flying birds.



MARABOU-Y

Nitrile coated cotton glove

- Material: 100% cotton
- Yellow nitrile coating on palm and back to the knuckle
- Knitted cuff
- Coating thickness: "B"
- Colour: off-white

Sizes: 7-10

Standards:

EN 388:2016+A1:2018



3111X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

■ □ ▢
 1 12 240
 pair pairs/pkg. pairs/carton



PARULA

Nitrile coated cotton glove

- Material: 100% cotton
- Blue nitrile coating on palm and back
- Canvas cuff
- Colour: off-white

Sizes: 9-11

Standards:

EN 388:2016+A1:2018



4311X

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

When tested according to the EN 374-4:2013 standard, the degradation of the protective gloves against isooctane is: 22.8%.

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The PARULA...



...is the colorful little warbler of the forests. Measuring 11 cm and weighing 8–10 g, this North American migratory bird has vibrant plumage. It builds a special small hanging nest, like a hammock in moss or lichen, hiding its eggs from predators.



• Nitrile coated back

• Nitrile coated palm

• 100% cotton material

• Canvas cuff





MANTELLA-1

Latex coated cotton glove

- Material: 100% cotton
- Yellow latex coating on palm and back
- Knitted cuff
- Patterned coating
- Colour: off-white

Size: 10,5

Standards:

EN 388:2016+A1:2018



2221X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The MANTELLA...



...is the tiny poison sac of rainforests and swamps. It is found exclusively on Madagascar. Sixteen recognized species exist, all displaying bright colors – yellow, orange, green, or red. These vivid hues warn predators that the prey is toxic. Through its skin, it can secrete alkaloid toxins obtained from ants and mites it consumes. Its body is tiny, measuring just 2–3 cm in length and weighing only a few grams. Several species are critically endangered.

HAND PROTECTION



MANTELLA-2 = 7021

Latex coated cotton glove

- Material: 100% cotton
- Yellow latex coating on palm and back
- Canvas cuff
- Patterned coating
- Colour: off-white

Size: 10,5

Standards:

EN 388:2016+A1:2018



2221X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



GARDENER

Nitrile coated gardener's glove

- Material: 100% polyester
- Gauge: 13
- Transparent nitrile coated palm
- Colour: floral pattern

Sizes: 7-11

Standards:

EN 388:2016+A1:2018



4121X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 12 240
pair pairs/pkg. pairs/carton



CHEMICAL-RESISTANT GLOVES



BE CAUTIOUS!

'TANG'

CARDINAL-35

PVC dipped chemical-resistant glove

- Material: 100% cotton liner
- Chemical-resistance: Type B (AKL)
- Category III.
- Fully and double PVC dipped
- Length: 35 cm
- Colour: red

Size: 10,5

Standards: CAT. III.

EN 388:2016+A1:2018

EN ISO 374-1:2016/Type B



4321A



AKL



EN 420:2003+A1:2009
 EN ISO 374-1:2016/A1:2018 (A:2, K:6, L:3)
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024

Packaging:

CARDINAL-35:

1 pair
 12 pairs/pkg.
 120 pairs/carton



CARDINAL-45:

1 pair
 12 pairs/pkg.
 72 pairs/carton



Did you know?

The CARDINAL...



...is the crimson star of North American forests. Its name comes from the red robes of Roman Catholic cardinals. Its bright red plumage comes from carotenoids, which it obtains mainly by eating berries.



CARDINAL-45

Length: 45 cm

• Chemical-resistance: Type B (AKL)

• Fully and double PVC dipped

• Material: 100% cotton liner

• Length: 35 cm





TOUCAN

PVC dipped chemical-resistant glove

- Material: 100% cotton
- Chemical-resistance: Type B (AKL)
- Category III.
- Red PVC dipped palm and fully coated back
- Knitted cuff
- Colour: off-white

Size: 10,5

Standards: CAT. III.

EN 388:2016+A1:2018 EN ISO 374-1:2016 / Type B CE

EN 420:2003+A1:2009
 EN ISO 374-1:2016/A1:2018 (A:2, K:6, L:3)
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024

Packaging:

1 pair 12 pairs/pkg. 120 pairs/carton

Did you know?

The TOUCAN...



...is the colorful character of the rainforests. Its iconic, often brightly colored bill can reach up to one-third of its body length. The large bill is light and hollow, containing spongy bone tissue and a unique tongue-like structure specialized for eating fruit. Due to its body structure, it is not a strong flyer, moving through the canopy by hopping from branch to branch. It rarely comes to the ground and does not build nests, instead using natural tree cavities for shelter.

HAND PROTECTION



CORNSNAKE

Fully latex dipped acid and alkali resistant glove

- Material: 100% cotton liner
- Chemical-resistance: Type B (AKLM) + HCl
- Category III.
- Cut-resistance level: 5/B
- Fully latex dipped
- Length: 45 cm
- Colour: orange

Sizes: L, XL

Standards: CAT. III.

EN 388:2016+A1:2018 EN ISO 374-1:2016 / Type B CE

EN 420:2003+A1:2009
 EN ISO 374-1:2016/A1:2018 (A:4, K:6, L:4, M:5 HCl 30%:6)
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024

Packaging:

1 pair 6 pairs/pkg. 60 pairs/carton

Did you know?

The CORNSNAKE...



...is the quiet guardian of grain farms. In the USA, it is regarded as a farmer's ally, reducing rodent numbers around granaries. Harmless to humans and completely nonvenomous, it subdues prey by constriction. An excellent climber, it easily accesses trees, walls, barns, and attics. Nocturnal by nature, it constantly tastes the air with its forked tongue while hunting. Using the Jacobson's organ on its palate, it can accurately track even hidden prey.





DRONGO

Fully nitrile dipped chemical-resistant glove

- Material: 100% cotton liner
- Chemical-resistance: Type B (AJKL)
- Category III.
- Fully nitrile dipped
- Length: 30 cm
- Colour: green

Sizes: 7-10

Standards: CAT. III.

EN 388:2016+A1:2018

EN ISO 374-1:2016 / Type B



41X1X



AJKL

EN 420:2003+A1:2009

EN ISO 374-1:2016/A1:2018

(A:2, J:6, K:6, L:2)

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The DRONGO...



...is the trickster of savannas and scrublands. A cunning thief, it acquires about a quarter of its food through deception. It can mimic alarm calls of 50–60 species of birds and mammals, causing them to abandon their prey, which the drongo readily eats. Proportionally, it has one of the largest brain sizes among songbirds, enabling advanced vocal learning and deceptive behavior. Small but bold, it even attacks hawks to defend its territory.



TANG-40

Household glove

- Material: 100% latex
- Patterned palm and fingers
- Weight: 40 g/pair
- Colour: yellow

Sizes: S-XL

Packaging:

- 1 pair
- 12 pairs/pkg.
- 240 pairs/carton



Did you know?

The TANG...



...is the cleaner of coral reefs. It feeds on algae growing on coral surfaces, preventing overgrowth and maintaining balance in the reef ecosystem. Over 80 species are known. Its name comes from the retractable, scalpel-like spine at the base of its tail, used for defense and to deter rivals. They live in schools, which reduces predation risk. Fast and agile swimmers, tangs can make rapid turns and navigate skillfully among the corals.



DISPOSABLE GLOVES



BE READY! 'TAIPAN'

TAIPAN

Extra strong, disposable nitrile examination glove

- Material: nitrile
- Latex-free
- Powder-free
- Non-sterile
- Ambidextrous
- Diamond textured palm and fingers
- Certified for food industry
- Chemical-resistant (EN ISO 374-1:2016+A1:2018/Type B: JKLOPT)
- Protection against bacteria, fungi and viruses
- Thickness: fingers: ~0.21 mm / palm: ~0.17 mm
- Weight: ~8.30 g/piece (average)
- Colour: orange
- Packaging: 50 pcs/box

Sizes: S-2XL

Standards:

EN ISO 21420:2020

EN ISO 374-1:2016+A1:2018/Type B EN ISO 374-5:2016



PROTECTION AGAINST BACTERIA, FUNGI AND VIRUS

Packaging:



Did you know?

The TAIPAN...



...is the most venomous land snake of the world. One gram of its venom could kill 100 humans. It lives hidden in the Australian interior, far from human settlements. As a top predator, it plays a key role in controlling rodent populations.



MANTARAY

Disposable ESD protected cleanroom examination glove

- Material: nitrile
- Latex-free
- Powder-free
- ESD protected
- Cleanroom certified
- Protection against bacteria and fungi
- Non-sterile
- Ambidextrous
- Micro-textured fingertips
- Certified for food industry
- Thickness: ~0.06 mm ± 0.03 mm
- Weight: ~3.5 g/piece ± 0.2 g
- Colour: blue
- Packaging: 100 pieces/box

Sizes: S-XL

Standards:

- EN IEC 61340-5-1:2024,
- EN ISO 14644-1:2015-ISO 6, ISO 7, ISO 8
- EN 420:2003+A1:2009
- EN ISO 21420:2020
- EN ISO 21420:2020/A1:2024

EN ISO 374-5:2016



VIRUS



Protection against bacteria and fungi



The protective gloves meet the basic requirements of "BfR Recommendation XXI/1.(01.09.2024.) Category 3", according to which they may come into contact with foodstuffs.

Packaging:



Did you know?

The MANTA RAY...



...is the elegantly gliding giant of the oceans. Weighing up to 2 tons and with a wingspan exceeding 7 m, it floats gracefully on its large, flat pectoral fins. It feeds mainly on plankton, tiny crustaceans, and fish larvae.

HAND PROTECTION



BLUERACER

Disposable nitrile examination glove

- Material: nitrile
- Latex-free
- Powder-free
- Protection against bacteria and fungi
- Non-sterile
- Ambidextrous
- Micro-textured fingertips
- Certified for food industry
- Thickness: ~0.06 mm ± 0.03 mm
- Weight: ~3.5 g/piece ± 0.2 g
- Colour: blue
- Packing: 100 pcs/box

Sizes: S-XL

Standards:
EN 420:2003+A1:2009

EN ISO 374-5:2016



PROTECTION AGAINST BACTERIA AND FUNGI
The protective gloves meet the basic requirements of "BfR Recommendation XXI/1.(01.09.2024.) Category 3", according to which they may come into contact with foodstuffs.

Packaging:



Did you know?

The BLUE RACER...



...is the blazing blue streak of snakes. One of North America's fastest, most agile species, it can reach 20 km/h over short distances. Active during the day, it complements nocturnal predators, helping maintain rodent population balance.



TATTOO

Disposable nitrile examination glove

- Material: nitrile
- Latex-free
- Powder-free
- Protection against bacteria and fungi
- Non-sterile
- Ambidextrous
- Micro-textured
- Certified for food industry
- Chemical-resistant
- Thickness: ~0.11 mm
- Weight: ~5.5 g/piece
- Colour: black
- Packing: 100 pcs/box

Sizes: S-XL

Standards: CAT. III.
EN 420:2003+A1:2009
EN ISO 374-5:2016/A1:2018 K:6
EN ISO 21420:2020
EN ISO 21420:2020/A1:2024

EN ISO 374-1:2016 / Type C EN ISO 374-5:2016



K



PROTECTION AGAINST BACTERIA AND FUNGI

Packaging:

1 box
 1 box/pkg.
 10 box/carton



HAND PROTECTION





SQUID = 9301

Disposable polyethylene glove

- Material: polyethylene
- Powder-free
- Non-sterile
- Ambidextrous
- Thickness: ~0.015 mm
- Colour: transparent
- Packing: 100 pcs./box

Size: L

Packaging:



 1 1 10

 pkg. pkg./pkg. pkg./carton



Did you know?

The SQUID...



...is the blue-blooded, three-hearted predator of the seas. Commonly mistaken for a fish, it is actually a cephalopod mollusk. Its body houses one main heart and two branchial hearts. Its blood is blue due to copper-based oxygen-carrying protein. About 300 species are known, ranging from tiny few-centimeter dwarfs to 20-meter giants. Although a predator feeding on fish and crustaceans, it is also hunted and escapes by ejecting an ink cloud, diverting its pursuer's attention.



RUBBERFINGER

Disposable latex finger cot

- Material: latex
- Powder-free
- Non-sterile
- Ambidextrous
- Colour: white
- 1000 pcs./pkg.

Sizes: S-XL

Packaging:



 1 1 20

 pkg. pkg./pkg. pkg./carton



ESDGUMIUJJ

ESDGUMIUJJ

Disposable ESD rubber finger cot

- Material: rubber
- Powder-free
- Non-sterile
- Ambidextrous
- Colour: pink
- 1000 pcs./package

Sizes: S-XL

Packaging:



 1 1 20

 pkg. pkg./pkg. pkg./carton



SPECIAL AND MECHANICAL GLOVES



KEEP UP THE PACE!

'BEESAFE'

KANGA

Anti-vibration cow grain glove

- Material: cow grain leather, breathable nylon/Lycra®, anti-vibration gel
- Cow grain leather palm- and nail protection
- Breathable nylon/Lycra® back
- Reinforced, adjustable cuff with velcro closure
- Anti-vibration gel on palm and fingers
- Colour: black

Sizes: 9-12

Standards:

EN 388:2016+A1:2018

EN ISO 10819:2013



4224X

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

EN ISO 10819:2013+A1:2019

EN ISO 10819:2013/A2:2023

Packaging:

- 1 pair
- 3 pairs/pkg.
- 60 pairs/carton



Did you know?

The kangaroo (~KANGA)...



...is the bounding ambassador of the Australian wild. It holds several records among marsupials: the largest size (2 m tall, 90 kg), the highest speed (70 km/h), the highest jump (3 m), and the longest jump (9 m). Fifty million live in the wild.



• Anti-vibration gel on palm and fingers

• Cow grain leather palm

• Breathable nylon/Lycra® back

• Reinforced, adjustable cuff with velcro closure





GRASSHOPPER

Anti-vibration knitted glove

- Material: polyester/cotton
- Anti-vibration foam coating on palm
- Gauge: 7
- Colour: black

Sizes: 8-10

Standards:

EN 388:2016+A1:2018

EN ISO 10819:2013+A1:2019



4142B

EN ISO 21420:2020

Packaging:

- 1 pair
- 6 pairs/pkg.
- 60 pairs/carton



Did you know?

The GRASSHOPPER...



...is the master jumper of the fields. More than 11,000 species are known worldwide, and it is extremely common. Proportionally, it has the strongest hind leg muscles in the animal kingdom. Before jumping, its joints act like springs, stretching the ligaments, then releasing the energy in a split second. This catapulting can propel a grasshopper 3-4 meters, equivalent to a human leaping 100 meters. Its characteristic rustling sound is produced by rubbing its wings and legs together.

HAND PROTECTION



BEESAFE

Cow grain beekeeping glove

- Material: cow grain leather palm and back
- Special textile cuff developed for beekeepers
- Colour: grey

Sizes: 6-11

Packaging:

- 1 pair
- 12 pairs/pkg.
- 120 pairs/carton



Did you know?

The bee (~BEESAFE)...



...is the most important pollinator of nature. Without bees, 80-85% of plants could not reproduce effectively. Due to monoculture farming, pesticide use, and climate change, wild bee populations have drastically declined. Among 20,000 species, the honeybee is the most well-known, the only insect producing food for humans (honey, beeswax). The bees in a single hive collectively fly a distance equivalent to circling the Earth six times to produce just 1 kg of honey.



KM1509500

Chainsaw protective glove

- Material: cow grain leather
- Cow grain leather palm
- On left glove chainsaw-protective lining
- Fist and vein protection
- Reinforced palm
- Knitted cuff
- Colour leather: grey
- Colour back: orange

Size: 11

Standards:

EN 388:2016+A1:2018

EN ISO 11393-4:2019



2122X



Class 1.

EN ISO 21420:2020

Packaging:

1 pair
 1 pair/pkg.
 50 pairs/carton



ROADRUNNER = MOTOROSNYARI

Did you know?



Cow grain motorcycle glove

- Material: cow grain leather
- Helmet wiper integrated on left index finger
- Elastic at wrist
- Thin textile lining
- Long cuff
- Colour: black

Sizes: XS-3XL

Standards:

EN 388:2016+A1:2018



3123X



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
10 pairs/pkg.
50 pairs/carton



The ROADRUNNER...



...is the lightning-fast sprinter of the desert. A member of the cuckoo family, it primarily inhabits the arid and semi-arid regions of Central America. Although it has wings, its body is built for running rather than long flights. It can reach speeds of 25–30 km/h. As a predatory bird, this speed, along with extremely quick reflexes, allows it to catch insects, rodents, and smaller birds. It is also famous for hunting snakes, confidently tackling even venomous ones.

HAND PROTECTION

ROADRUNNER(W) = MOTOROSTELI



Cow grain motorcycle glove

- Material: cow grain leather
- Helmet wiper integrated on left index finger
- Elastic at wrist
- Thick faux fur lining
- Long cuff
- Colour: black

Sizes: S-3XL

Standards:

EN 388:2016+A1:2018



3222X

EN 511:2006



321



EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
10 pairs/pkg.
50 pairs/carton



HUNTHERO = LOV-B

Knitted hunter's glove, lined

- Material: 100% acrylic
- Finger-cover can be placed on back with velcro
- Protective cover on palm and thumb
- Gauge: 10
- With 3M™ Thinsulate™ lining

Packaging:

■	□	□
1	12	120
pair	pairs/pkg.	pairs/carton



Sizes: S-XL





WINTER GLOVES

STAND THE COLD!

'PENGUIN(W)'



FROSTBEAR(W)


Did you know?

Waterproof, lined, double latex coated assembly glove

The polar bear (~FROSTBEAR)...

- Material: polyester
- Outer shell: 13 gauge polyester
- Inner shell: 7 gauge terry cloth
- Orange fully latex coated
- Black sandy latex coated palm and fingers
- Waterproof

Standards:



EN 420:2003+A1:2009
 EN ISO 21420:2020
 EN ISO 21420:2020/A1:2024

Packaging:



...is the icy giant of the Arctic. Its thick fat layer and fur protect it from the cold, while its black skin absorbs sunlight. With large, wide paws, it can walk stably on ice and swim fast (10 km/h) and far (100 km). It mainly hunts seals.



• Black sandy latex coated palm and fingers

• 7 gauge terry cloth Inner shell

• Water resistant, fully latex coated

• 13 gauge polyester outer shell



PANTHER(W)

Goat grain leather winter glove



- Material: goat grain leather, cotton
- Goat grain leather palm-, nail- and vein protection
- 3M™ Thinsulate™ lining
- Red cotton back
- Adjustable cuff with velcro closure
- Leather colour: off-white

Sizes: 8-12

Standards:

EN 388:2016+A1:2018

EN 511:2006



4122X



120

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
12 pairs/pkg.
120 pairs/carton



PANTHER(W)-TAP

Goat grain leather, touchscreen-compatible winter glove



- Material: goat leather, textile, fleece
- Goat grain leather palm-, nail- and vein protection
- Capacitive areas on the thumb and index finger
- 3M™ Thinsulate™ lining
- Red cotton back
- Adjustable cuff with velcro closure
- Leather colour: off-white

Sizes: 8-12

Standards:

EN 388:2016+A1:2018

EN 511:2006



4122X



120

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

1 pair
12 pairs/pkg.
120 pairs/carton



BUFFALO(W)-R

Cow split leather glove, lined

- Material: cow split leather, canvas, fleece
- Cow split leather palm-, knuckle-, nail- and vein protection
- Canvas back and laminated cuff
- Warm felt lining
- For heavy work
- Leather colour: yellow
- Back colour: red

Standards:

EN 388:2016+A1:2018

EN 511:2006



4223X



120

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

■	□	□□
1	12	120
pair	pairs/pkg.	pairs/carton



Size: 10,5





ELK(W)

Winter assembly glove with anti-slip coating on palm

- Material: 100% acrylic
- Soft, warm lining
- Anti-slip, latex coated palm
- Gauge: 10
- Back colour: orange

Sizes: 9, 11

Standards:

EN 388:2016+A1:2018

EN 511:2006



1332X



020

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- ▣ 12 pairs/pkg.
- ▢ 120 pairs/carton



Did you know?

The ELK...



...is the royal double-bassist of the northern forests. Its main habitats are the forested regions and meadows of North American mountain ranges, supporting a population of around one million. Their calls can be heard from up to 2 km away, and include infrasound below 20 Hz, inaudible to humans. Each year, males regrow and shed their iconic antlers, which can reach 1.2 m and play key roles in defense and mating. Its double-layered coat protects it even from -40 °C cold.

HAND PROTECTION



PENGUIN(W)

Winter assembly glove with anti-slip coating on palm and thumb

- Material: 100% acrylic
- Soft, warm lining
- Anti-slip, foam latex coated palm and thumb
- Gauge: 7
- Back colour: yellow

Sizes: 9, 11

Standards:

EN 388:2016+A1:2018

EN 511:2006



1321X



020

EN 420:2003+A1:2009

EN ISO 21420:2020

EN ISO 21420:2020/A1:2024

Packaging:

- 1 pair
- ▣ 6 pairs/pkg.
- ▢ 72 pairs/carton



Did you know?

The PENGUIN...



...is the record-holding deep diver of birds. Although associated with the icy Antarctic, only a few of the 18 known penguin species actually live there. Its iconic representative is the emperor penguin, the largest of all, weighing up to 45 kg and reaching 120 cm in height. It is the only penguin that lays its eggs on the ice in freezing temperatures of -40 °C. An incredible diver, it can descend more than 500 m and hold its breath for up to 22 minutes while hunting fish and krill.



SHEEP(W) = SZ-N

Sheep nappa leather glove with fur lining

- Material: sheep nappa leather
- Mid-finger reinforcement
- Thick fur lining
- Decoration sewing on back
- Colour: black

Sizes: S-3XL**Packaging:**

■	□	□
1	10	100
pair	pairs/pkg.	pairs/carton

**Did you know?**

The SHEEP...



...is the natural wool provider of nature. Domesticated 10–11 thousand years ago in the Middle East, it is raised mainly for wool, milk, and meat. A single sheep can give up to 30 kg of wool annually, depending on the breed.



FOOTWEAR



FOOTWEAR – STANDARDS

CLASSIFICATION OF FOOTWEAR ACCORDING TO THE STANDARD

CLASS I.: Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

CLASS II.: All-rubber (i.e., entirely vulcanised) or all-polymeric (i.e. entirely moulded) footwear.

EN ISO 20345:2022, EN ISO 20345:2022/A1:2024 – PERSONAL PROTECTIVE EQUIPMENT. SAFETY FOOTWEAR

EN ISO 20347:2022, EN ISO 20347:2022/A1:2024 – PERSONAL PROTECTIVE EQUIPMENT. OCCUPATIONAL FOOTWEAR

SYMBOL	PROTECTION	Class	PROTECTION LEVEL					
			0B/SB	01/S1	02/S2	03/S3	06/S6	07/S7
	BASIC REQUIREMENTS	I.	X	X	X	X	X	X
∅ No marking	Slip resistance Not tested Basic requirements		X ^a	X ^a	X ^a	X ^a	X ^a	X ^a
	ADDITIONAL REQUIREMENTS							
	Closed heel area		0	X	X	X	X	X
P PL PS	Perforation resistance Metal insert Non-metal insert type PL Non-metal insert type PS		0	0	-	X ^b 03/S3 03L/S3L 03S/S3S	-	X ^b 07/S7 07L/S7L 07S/S7S
C	Partially conductive footwear		0	-	-	-	-	-
A	Antistatic footwear		0	X	X	X	X	X
HI	Heat insulation of outsole complex		0	0	0	0	0	0
CI	Cold insulation of outsole complex		0	0	0	0	0	0
E	Energy absorption of seat region		0	X	X	X	X	X
WR	Water resistance		0	0	0	0	X	X
M	Metatarsal protection		0	0	0	0	0	0
AN	Ankle protection (only for safety footwear)		0	0	0	0	0	0
CR	Cut resistance		0	0	0	0	0	0
SC	Scuff cap		0	0	0	0	0	0
SR	Slip resistance		0	0	0	0	0	0
WPA	Upper – water penetration and absorption		0	-	X	X	X	X
HRO	Outsole – resistance to hot contact		0	0	0	0	0	0
FO	Outsole – resistance to fuel oil		0	0	0	0	0	0
LG	Outsole – ladder grip		0	0	0	0	0	0

Marking: X The requirement shall be met. O If the component exists or the protection is claimed, the requirement shall be met.
^a One of the two shall be chosen. ^b One of the three shall be chosen.

EN ISO 17249 – SAFETY FOOTWEAR WITH RESISTANCE TO CHAIN SAW CUTTING

CHAINSAW FABRIC CLASSIFICATION (CLASS)	1	2	3	4
MAX CHAIN SPEED	20 m/s	24 m/s	28 m/s	32 m/s

EN 50321-1:2018, EN 50321-1:2018/AC:2018-08 – LIVE WORKING. FOOTWEAR FOR ELECTRICAL PROTECTION. PART 1: INSULATING FOOTWEAR AND OVERBOOTS

EN ISO 13832-2:2018 – FOOTWEAR PROTECTING AGAINST CHEMICALS. – Part 2: Requirements for limited contact with chemicals EN ISO 13832-3:2018 – FOOTWEAR PROTECTING AGAINST CHEMICALS. – Part 3: Requirements for prolonged contact with chemicals

EN 61340-5-1:2016, EN 61340-5-1:2016/AC:2017, EN IEC 61340-5-1:2024 – ELECTROSTATICS. PART 5-1: PROTECTION OF ELECTRONIC DEVICES FROM ELECTROSTATIC PHENOMENA. GENERAL REQUIREMENTS

FOOTWEAR – SYMBOL EXPLANATIONS

Safety toe cap	Penetration resistance	Slip resistance	Energy absorption of seat region	Outsole – Fuel oil resistance	Antistatic footwear	Reflective parts	Upper – Water penetration and water absorption	Cold insulation of sole complex	Metatarsal protection	Outsole – Heat resistance



WORKING SHOES 124-134



CHALLENGER-HS-O 124

RULER-HS-R 125

DEVELOPER-HS-O 126

DEFENDER-HS-G 127

WARRIOR-HS-A 128



MICPRO-HS-G 129

MASTER-HS-O 130

EXPERT-HS-R 131

WALKER-HS-O 132

HAMMER-HS-O 133

WORKING BOOTS 136-142



JAZZ-HS-G 134

CITY-HS-S 134

MASTER-AB-O 136

EXPERT-AB-R 137

WALKER-AB-O 138



WALKER(W)-AB-O 139

HAMMER-AB-O 140

HAMMER(W)-AB-O 141

JAZZ-AB-G 142

CITY-AB-S 142

WORKING SANDALS 144-148



MASTER-SA-O 144

EXPERT-SA-R 145

WALKER-SA-O 146

JAZZ-SA-G 147

CITY-SA-S 148

FOOTWEAR



WORKING HIGH BOOTS 150-152



116 150



012F 151



GINOC-FK 152



GINOC-FH 152



PROTOE 154

FOOTWEAR ACCESSORIES 154-156



PROTOE-BELT 154



SHOECOVER1 155



SHOECOVER2 155



SHOECOVER-PRO 155



BOOTLINER 156



INSOLE-MICPRO 156



WORKING SHOES



BE INNOVATIVE!

'CHALLENGER'

CHALLENGER-HS-O


S3, SRC, ESD safety half shoe

- NUBUCK FINISHED microfiber upper with 3D KPU mesh cover
 - KPU REINFORCED ZONE around the toe
 - NON-METALLIC puncture resistant midsole (PL)
 - NANO toecap
 - INSOLE-INDEPENDENT ESD technology
 - ULTRA COMFORTABLE seamless, removable, foamed PUR insole
 - SHOCK ABSORBING zone
 - OIL- / SLIP RESISTANT unique outsole (FO/SR)
 - DUAL LAYER EVA/RUBBER cemented outsole
 - 3D MESH textile collar- and tongue lining
 - LIGHTWEIGHT
 - Colour: black-grey-orange
- Sizes:** 36-48

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S3L SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



NUBUCK FINISHED microfiber upper with 3D KPU mesh cover

NANO toecap

NON-METALLIC puncture resistant midsole (PL)

ULTRA COMFORTABLE, seamless, removable, foamed PUR insole

S3L

INSOLE-INDEPENDENT ESD technology

DUAL LAYER EVA/RUBBER cemented outsole

SHOCK ABSORBING zone

OIL- / SLIP RESISTANT unique outsole (FO/SR)



RULER-HS-R

S1, PL, SR, FO, ESD safety half shoe

- TPU MELT BREATHABLE upper with mesh base
- NON-METALLIC puncture resistant midsole (PL)
- NANO toecap
- INSOLE-INDEPENDENT ESD technology
- ULTRA COMFORTABLE seamless, removable, foamed PUR insole
- SHOCK ABSORBING zone

- OIL- / SLIP RESISTANT unique outsole (FO/SR)
- DUAL LAYER EVA/RUBBER cemented outsole
- 3D MESH textile collar- and tongue lining
- REFLECTIVE parts
- LIGHTWEIGHT
- Colour: black-grey-red

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S1 PL SR FO

Packaging:

1 pair pair/box 1 pair/box 10 pairs/carton



Sizes: 36-48



FOOTWEAR



DEVELOPER-HS-O

S1, PL, SR, FO, ESD safety half shoe

- KNITTED BREATHABLE upper
- TPU REINFORCED ZONE around the toe and heel
- NON-METALLIC puncture resistant midsole (PL)
- NANO toecap
- INSOLE-INDEPENDENT ESD technology
- ULTRA COMFORTABLE seamless, removable, foamed PUR insole

- SHOCK ABSORBING zone
 - OIL- / SLIP RESISTANT unique outsole (FO/SR)
 - DUAL LAYER EVA/RUBBER cemented outsole
 - 3D MESH textile collar- and tongue lining
 - LIGHTWEIGHT
 - Colour: orange-black-grey
- Sizes:** 36-48

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S1 PL SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



NON-METALLIC puncture resistant midsole (PL)

S1

INSOLE-INDEPENDENT ESD technology

DUAL LAYER EVA/RUBBER cemented outsole

KNITTED BREATHABLE upper

NANO toecap

ULTRA COMFORTABLE, seamless, removable, foamed PUR insole

SHOCK ABSORBING zone

OIL- / SLIP RESISTANT unique outsole (FO/SR)



DEFENDER-HS-G

S3L, SR, FO, ESD safety half shoe

- NUBUCK FINISHED microfiber upper
- NON-METALLIC puncture resistant midsole (PL)
- NANO toecap
- INSOLE-INDEPENDENT ESD technology
- ULTRA COMFORTABLE seamless, removable, foamed PUR insole
- SHOCK ABSORBING zone

- OIL- / SLIP RESISTANT unique outsole (FO/SR)
- DUAL LAYER EVA/RUBBER cemented outsole
- 3D MESH textile collar- and tongue lining
- HIDDEN REFLECTIVE parts
- LIGHTWEIGHT
- Colour: black-grey-lime

Sizes: 36-48

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S3L SR FO

Packaging:

1 pair / 1 pair/box / 10 pairs/carton



FOOTWEAR



WARRIOR-HS-A

S1, PL, SR, FO, ESD safety half shoe

- KNITTED BREATHABLE upper
- TPU REINFORCED ZONE around the toe
- NON-METALLIC puncture resistant midsole (PL)
- NANO toecap
- INSOLE-INDEPENDENT ESD technology
- ULTRA COMFORTABLE seamless, removable, foamed PUR insole
- SHOCK ABSORBING zone

- OIL- / SLIP RESISTANT unique outsole (FO/SR)
 - DUAL LAYER EVA/RUBBER cemented outsole
 - 3D MESH textile collar- and tongue lining
 - REFLECTIVE parts
 - LIGHTWEIGHT
 - Colour: blue-white-grey
- Sizes:** 36-48

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S1 PL SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



MICPRO-HS-G

S1, PL, SR, FO, ESD, safety half shoe


- Microfiber upper
- Non-metallic puncture resistant midsole (PL)
- Glass fiber toe cap
- Formed insole
- Oil-, slip resistant, dual layer PU/PU outsole (FO/SR)
- Padded collar and tongue
- Colour: black-lime

Sizes: 35-48

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024
 Protection class of the PPE:
 S1 PL SR FO
 EN 61340-5-1:2016
 EN IEC 61340-5-1:2024

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



MICROFIBER upper

GLASS FIBER toe cap

NON-METALLIC puncture resistant midsole (PL)

PADDED collar and tongue

FORMED insole



S1



DUAL LAYER PU/PU outsole

OIL- / SLIP RESISTANT outsole (FO/SR)

FOOTWEAR



MASTER-HS-O

S3L, SR, FO safety half shoe

- Action nubuck leather upper
- Reinforced toe
- Metal-free puncture resistant midsole (PL)
- Glass fiber toe cap
- Ultra comfortable formed insole
- Oil-, slip resistant, dual layer PU/PU outsole (FO/SR)
- Breathable, mesh textile liner

- Padded collar and tongue
- Reflective parts
- Colour: black-orange-grey


Sizes: 36-47

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024

Protection class of the PPE: S3L SR FO

Packaging:

1 pair / box
 1 pair / box
 10 pairs / carton



ACTION NUBUCK leather upper

GLASS FIBER toe cap

REINFORCED toe

METAL-FREE puncture resistant midsole (PL)

PADDED collar and tongue

ULTRA COMFORTABLE formed insole

S3L

ANTISTATIC, breathable, mesh textile liner

OIL- / SLIP RESISTANT dual layer PU/PU outsole (FO/SR)



EXPERT-HS-R

S3L, SR, HRO, FO safety half shoe

- Action nubuck leather upper
- Metal-free puncture resistant midsole (PL)
- Glass fiber toe cap
- Ultra comfortable formed insole
- Oil-, slip resistant, dual layer PU/RUBBER outsole (FO/SR)
- Contact heat resistant outsole: 300 °C / 60 s (HRO)

- Breathable, mesh textile liner
- Padded collar and tongue
- Reflective parts
- Colour: black-red-grey


Sizes: 36-47

Standards: CE
EN ISO 20345:2022

EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S3L SR HRO FO

Packaging:

1 1 10
pair pair/box pairs/carton



ACTION NUBUCK leather upper

GLASS FIBER toe cap

METAL-FREE puncture resistant midsole (PL)

PADDED collar and tongue

ULTRA COMFORTABLE formed insole

S3L

ANTISTATIC, breathable, mesh textile liner

OIL-/SLIP RESISTANT, CONTACT HEAT RESISTANT (300 °C / 60 s – HRO) dual layer PU/rubber outsole (FO/SR)



WALKER-HS-O

S1, P, SR, FO safety half shoe

- Cow leather upper
- Reinforced toe
- Steel toe cap and midsole (P)
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Reflective stripe on the outside

• Colour: black-orange

Sizes: 35-50

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024
 Protection class of the PPE: S1 P SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



Labels pointing to the main shoe image:
 COW LEATHER upper
 STEEL TOE CAP
 REINFORCED toe
 STEEL midsole (P)



PADDED collar and tongue

FORMED insole



S1P



OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)



HAMMER-HS-O

S3, SR, FO safety half shoe

- Cow leather upper
- Reinforced toe
- Steel toe cap and midsole (P)
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Reflective stripe on the outside



• Colour: black-orange

Sizes: 35-50

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024
Protection class of the PPE: S3 SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



STEEL midsole (P)

COW LEATHER upper

STEEL TOE CAP

REINFORCED toe

PADDED collar and tongue

FORMED insole




S3



OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)

FOOTWEAR





JAZZ-HS-G



S1, SR, FO safety half shoe

- Cow leather upper
- Reinforced toe
- Steel toe cap
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Reflective stripe on the outside
- Colour: black-green

Sizes: 35-50

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024
 Protection class of the PPE:
 S1 SR FO

Packaging:



CITY-HS-S

O1, SR, FO work shoe

- Cow leather upper
- Reinforced toe
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (SR)
- Padded collar and tongue
- Reflective stripe on the outside
- Colour: black-grey

Sizes: 35-50

Standards: CE
 EN ISO 20347:2022
 EN ISO 20347:2022/A1:2024
 Protection class of the PPE:
 O1 SR FO

Packaging:



WORKING BOOTS



BE A MASTER! 'EXPERT'

MASTER-AB-O

S3L, SR, FO safety boot

- Action nubuck leather upper
- Reinforced toe
- Metal-free puncture resistant midsole (PL)
- Glass fiber toe cap
- Ultra comfortable formed insole
- Oil-, slip resistant, dual layer PU/PU outsole (FO/SR)
- Breathable, mesh textile liner

- Padded collar and tongue
- Reflective parts
- Colour: black-orange-grey


Sizes: 36-47

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024

Protection class of the PPE: S3L SR FO

Packaging:

1 pair / box
 1 pair / box
 10 pairs / carton



METAL-FREE puncture resistant midsole (PL)

ACTION NUBUCK leather upper
 GLASS FIBER toe cap
 REINFORCED toe

PADDED collar and tongue

ULTRA COMFORTABLE formed insole



S3L

ANTISTATIC, breathable, mesh textile liner



OIL- / SLIP RESISTANT dual layer PU/PU outsole (FO/SR)



EXPERT-AB-R

S3L, SR, HRO, FO safety boot

- Action nubuck leather upper
- Metal-free puncture resistant midsole (PL)
- Glass fiber toe cap
- Ultra comfortable formed insole
- Oil-, slip resistant, dual layer PU/RUBBER outsole (FO/SR)
- Contact heat resistant outsole: 300 °C / 60 s (HRO)

- Breathable, mesh textile liner
- Padded collar and tongue
- Reflective parts
- Colour: black-red-grey


Sizes: 36-47

Standards: CE
EN ISO 20345:2022

EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S3L SR HRO FO

Packaging:

1 1 10
pair pair/box pairs/carton



• ACTION NUBUCK leather upper

• GLASS FIBER toe cap

METAL-FREE puncture resistant midsole (PL)

PADDED collar and tongue

ULTRA COMFORTABLE formed insole



S3L

• ANTISTATIC, breathable, mesh textile liner

• OIL-/SLIP RESISTANT, CONTACT HEAT RESISTANT (300 °C / 60 s – HRO) dual layer PU/rubber outsole (FO/SR)



WALKER-AB-O

S1, P, SR, FO safety boot

- Cow leather upper
- Reinforced toe
- Steel toe cap and midsole (P)
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Reflective stripe on the outside

• Colour: black-orange

Sizes: 35-50

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024

Protection class of the PPE:
S1 P SR FO

Packaging:

1 pair / 1 pair/box / 10 pairs/carton



STEEL midsole (P)

COW LEATHER upper

STEEL TOE CAP

REINFORCED toe

PADDED collar and tongue

FORMED insole



S1



OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)



WALKER(W)-AB-O

S3, CI, SR, FO safety boot

- Cow leather upper
- Reinforced toe
- Steel toe cap and midsole (P)
- Formed insole
- Cold insulation (CI)
- Warm faux fur lining
- Oil-, slip resistant, dual density PU injected sole (FO/SR)

- Padded collar and tongue
- Reflective stripe on the outside
- Colour: black-orange


Sizes: 36-48

Standards: CE
EN ISO 20345:2022

EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S3 CI SR FO

Packaging:

1 1 10
pair pair/box pairs/carton



STEEL midsole (P)

COW LEATHER upper

STEEL TOE CAP

REINFORCED toe

PADDED collar and tongue

FORMED insole



WARM faux fur lining

S3



OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)



HAMMER-AB-O

S3, SR, FO safety boot

- Cow leather upper
- Reinforced toe
- Steel toe cap and midsole (P)
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Reflective stripe on the outside



• Colour: black-orange

Sizes: 35-50

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024
Protection class of the PPE: S3 SR FO

Packaging:

1 1 10
 pair pair/box pairs/carton



STEEL midsole (P)

COW LEATHER upper

STEEL TOE CAP

REINFORCED toe

PADDED collar and tongue

FORMED insole



S3



OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)



HAMMER(W)-AB-O

S3, CI, SR, FO safety boot

- Cow leather upper
- Reinforced toe
- Steel toe cap and midsole (P)
- Formed insole
- Cold insulation (CI)
- Warm faux fur lining
- Oil-, slip resistant, dual density PU injected sole (FO/SR)

- Padded collar and tongue
- Reflective stripe on the outside
- Colour: black-orange


Sizes: 36-48

Standards: CE
EN ISO 20345:2022

EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S3 CI SR FO

Packaging:

1 1 10
pair pair/box pairs/carton



STEEL midsole (P)

COW LEATHER upper

STEEL TOE CAP

REINFORCED toe

PADDED collar and tongue

FORMED insole


WARM faux fur lining

S3

OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)

FOOTWEAR





JAZZ-AB-G


S1, SR, FO safety boot

- Cow leather upper
- Reinforced toe
- Steel toe cap
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Reflective stripe on the outside
- Colour: black-green

Sizes: 35-50

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024
 Protection class of the PPE:
 S1 SR FO

Packaging:



CITY-AB-S


O1, SR, FO work boot

- Cow leather upper
- Reinforced toe
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Reflective stripe on the outside
- Colour: black-grey

Sizes: 35-50

Standards: CE
 EN ISO 20347:2022
 EN ISO 20347:2022/A1:2024
 Protection class of the PPE:
 O1 SR FO

Packaging:



WORKING SANDALS



BE AN EXPERT! 'EXPERT'

MASTER-SA-O

S1, PL, SR, FO safety sandal

- Action nubuck leather upper
- Reinforced toe
- Metal-free puncture resistant midsole (PL)
- Glass fiber toe cap
- Ultra comfortable formed insole
- Oil-, slip resistant, dual layer PU/PU outsole (FO/SR)
- Breathable, mesh textile liner

- Padded collar and tongue
- Reflective parts
- Colour: black-orange-grey


Sizes: 36-47

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024

Protection class of the PPE:
S1 PL SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



METAL-FREE
 puncture resistant
 midsole (PL)

ACTION NUBUCK
 leather upper

GLASS FIBER
 toe cap

REINFORCED toe

PADDED
 collar and
 tongue

ULTRA
 COMFORTABLE
 formed insole



S1

ANTISTATIC,
 breathable, mesh
 textile liner



OIL- / SLIP RESISTANT dual
 layer PU/PU outsole (FO/SR)



EXPERT-SA-R

S1, PL, SR, HRO, FO safety sandal

- Action nubuck leather upper
- Metal-free puncture resistant midsole (PL)
- Glass fiber toe cap
- Ultra comfortable formed insole
- Oil-, slip resistant, dual layer PU/RUBBER outsole (FO/SR)
- Contact heat resistant outsole: 300 °C /60 s (HRO)

- Breathable, mesh textile liner
- Padded collar and tongue
- Reflective parts
- Colour: black-red-grey


Sizes: 36-47

Standards: CE
EN ISO 20345:2022

EN ISO 20345:2022/A1:2024
Protection class of the PPE:
S1 PL SR HRO FO

Packaging:

1 pair pair/box 10 pairs/carton



ACTION NUBUCK leather upper

GLASS FIBER toe cap

METAL-FREE puncture resistant midsole (PL)

PADDED collar and tongue

ULTRA COMFORTABLE formed insole

FOOTWEAR



S1



ANTISTATIC, breathable, mesh textile liner

OIL-/SLIP RESISTANT, CONTACT HEAT RESISTANT (300 °C / 60 s – HRO) dual layer PU/rubber outsole (FO/SR)



WALKER-SA-O

S1, P, SR, FO safety sandal

- Cow leather upper
- Reinforced toe
- Steel toe cap and midsole (P)
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue

• Colour: black-orange

Sizes: 35-50

Standards: CE
EN ISO 20345:2022
EN ISO 20345:2022/A1:2024

Protection class of the PPE:
S1 P SR FO

Packaging:

1 pair
1 pair/box
10 pairs/carton



STEEL midsole (P)

COW LEATHER upper

STEEL TOE CAP

REINFORCED toe

PADDED collar and tongue

FORMED insole



S1



OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)



JAZZ-SA-G

S1, SR, FO safety sandal

- Cow leather upper
- Reinforced toe
- Steel toe cap
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue

• Colour: black-green

Sizes: 35-50

Standards: CE
 EN ISO 20345:2022
 EN ISO 20345:2022/A1:2024

Protection class of the PPE:
 S1 SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



— COW LEATHER upper

— STEEL TOE CAP

— REINFORCED toe



— PADDED collar and tongue

— FORMED insole



— S1



— OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)

FOOTWEAR



CITY-SA-S

01, SR, FO work sandal


- Cow leather upper
- Reinforced toe
- Formed insole
- Oil-, slip resistant, dual density PU injected sole (FO/SR)
- Padded collar and tongue
- Colour: black-grey

Sizes: 35-50

Standards: CE
 EN ISO 20347:2022
 EN ISO 20347:2022/A1:2024
 Protection class of the PPE:
 01 SR FO

Packaging:

1 pair
 1 pair/box
 10 pairs/carton



COW LEATHER upper

REINFORCED toe

PADDED collar and tongue

FORMED insole



01



OIL- / SLIP RESISTANT DUAL DENSITY PU injected sole (FO/SR)



WORKING HIGH BOOTS



STAND YOUR GROUND! '116'


116

S5, FO, SR PVC safety boot, green

- Upper: PVC
- Sole: PVC + 10% nitrile
- Lining: polyester
- Steel toe cap, midsole
- Oil-, slip resistant sole (FO/SR)
- Colour: green-black

Standards: CE
EN ISO 20345:2022
Protection class of the PPE: S5 FO SR

Packaging:



Sizes: 37-47



012F

PVC work boot

- Upper: PVC
- Sole: PVC
- Lining: warm, non-removable faux fur lining
- Drawstring at top of shaft
- Colour: green-black

Packaging:




Sizes: 36-47



FOOTWEAR





GINOC-FK

OB, FO, SR PVC work boot


- Upper: PVC
- Sole: PVC
- Lining: polyester
- Oil-, slip resistant sole (FO/SR)
- Colour: black-black

Sizes: 36-48

Standards: CE
EN ISO 20344:2021
EN ISO 20347:2022
Protection class of the PPE:
OB FO SR

Packaging:

1 pair / pkg
 1 pair / pkg
 8 pairs / carton



GINOC-FH

OB, FO, SR PVC work boot

- Upper: PVC
- Sole: PVC
- Lining: polyester
- Oil-, slip resistant sole (FO/SR)
- Colour: white-white

Sizes: 37-47

Standards: CE
EN ISO 20344:2021
EN ISO 20347:2022
Protection class of the PPE:
OB FO SR

Packaging:

1 pair / pkg
 1 pair / pkg
 8 pairs / carton



FOOTWEAR ACCESSORIES



BE PREPARED! 'SHOECOVER-PRO'



PROTOE

Safety visitor overshoe

- Upper: TPU
- Steel toe cap (200J)
- Protection against toe injuries
- Suitable for all types of footwear
- Replaceable, flexible TPU strap
- Colour: black

Sizes:

S (35-39), M (40-44), L (45-48)

Standards: CE

- Impact resistance (tested according to article 5.4 of **EN ISO 20344:2021**)
- Compression resistance (tested according to article 5.5 of **EN ISO 20344:2021**)
- Fuel oil resistance of the outsole (according to article 6.4.2 of **EN ISO 20345:2022**)

Packaging:

1 pair pair/pkg. 16 pairs/carton



PROTOE-BELT

Spare belt of PROTOE

- 1 piece TPU belt + 2 pieces plastic buttons
- Colour: black

Sizes:

S (35-39), M (40-44), L (45-48)

Packaging:

1 pc. 1 pc./pkg. 500 pcs./carton



SHOECOVER1

Disposable shoe protector



- Material: polyethylene
- Suitable for all types of footwear and foot size
- Colour: blue
- Packing: 100 pcs./pkg.

Packaging:




 1 pc. 1 pkg. 20 pkg./carton



Size: one size

SHOECOVER2

Disposable, reinforced shoe protector



- Material: polypropylene/polyethylene
- Sole: reinforced polyethylene
- Suitable for all types of footwear and foot size
- Colour: white-blue
- Packaging: 50 pcs./pkg.

Packaging:




 1 pc. 1 pkg. 20 pkg./carton



Size: one size

SHOECOVER-PRO

Disposable, ESD, cleanroom-certified, anti-slip shoe protector



- Material: 100% non-woven polypropylene (PP), 35 g/m²
- ESD: Full sole-length (70 cm) conductive grounding ribbon with 35 cm+ free-hanging section
- Material of the conductive ribbon: 100% polyethylene (PE)
- Surface resistance of the conductive ribbon (R_s): <math><1 \times 10^6 \Omega</math>
- Two-point resistance of the conductive ribbon (R_{pp}): <math><35 \times 10^6 \Omega</math>
- Clean room classifications (ISO 14644): ISO 6 / ISO 7 / ISO 8
- Anti-slip sole patterns
- Elasticated opening

- Easy & safe solution for EPA visitors
- Fit for various shoe styles & sizes
- Manual put-on
- Colour: blue
- Packaging: 100 pcs./package

Size: one size (41×17 cm)

Standards: IEC 61340-5-1_2024
ISO 14644-1_20152021 ISO 6, ISO 7, ISO 8

Packaging:




 1 pc. 1 pkg. 10 pkg./carton





BOOTLINER

Winter lining for boots

- Material: felt
- Foldable shaft
- Available in size ranges
- Colour: grey

Sizes:

36-37, 38-39, 40-41, 42-43, 44-45, 46-47, 48-49

Packaging:

■	□	□□
1	1	40
pair	pair/pkg.	pairs/carton



INSOLE-MICPRO

ESD insole

- Material: EVA
- ESD
- Replacement insole
- Compatible footwear: MICPRO-HS-G
- Colour: black

Sizes: 35-48

Packaging:

■	□	□□
1	10	100
pair	pairs/pkg.	pairs/carton



WORKWEAR



WORKWEAR – STANDARDS

EN ISO 13688:2013 – PROTECTIVE CLOTHING. GENERAL REQUIREMENTS
EN ISO 13688:2013/A1:2022 – 1. AMENDMENT (ISO 13688:2013/AMD 1:2021)

 EN 342:2018 – PROTECTIVE CLOTHING. ENSEMBLES AND GARMENTS FOR PROTECTION AGAINST COLD

 EN 343:2019 – PROTECTIVE CLOTHING. PROTECTION AGAINST RAIN

 EN ISO 20471:2020 – HIGH VISIBILITY CLOTHING. TEST METHODS AND REQUIREMENTS

 EN ISO 15025:2016 – PROTECTIVE CLOTHING. PROTECTION AGAINST FLAME
METHOD OF TEST FOR LIMITED FLAME SPREAD

 EN ISO 11611:2015 – PROTECTIVE CLOTHING FOR USE IN WELDING AND ALLIED PROCESSES

 EN ISO 11612:2015 – PROTECTIVE CLOTHING. CLOTHING TO PROTECT AGAINST HEAT AND FLAME

- According to the place of sampling. (A1: fabric surface tests. A2: fabric edge tests.)
- Code B: exposure to convective heat (grades 1 = low – 3 = high)
- Code C: exposure to radiant heat (grades 1–4)
- Code D: exposure to molten metal splashes [aluminium] (grades 1–3)
- Code E: exposure to molten metal splashes [iron] (grades 1–3)
- Code F: exposure to contact heat (grades 1–3)

 EN 13034:2005+A1:2009 – PROTECTIVE CLOTHING AGAINST LIQUID CHEMICALS.

 EN 14325:2018+A1:2024 – PROTECTIVE CLOTHING AGAINST CHEMICALS. TEST METHODS AND PERFORMANCE
CLASSIFICATION OF CHEMICAL PROTECTIVE CLOTHING MATERIALS, SEAMS, JOINS AND ASSEMBLAGES

 EN 14058:2018 – PROTECTIVE CLOTHING. GARMENTS FOR PROTECTION AGAINST COOL ENVIRONMENTS

 EN 1149-1:2007 – PROTECTIVE CLOTHING. ELECTROSTATIC PROPERTIES
PART 1: TEST METHOD FOR MEASUREMENT OF SURFACE RESISTIVITY

 PROTECTIVE CLOTHING FOR USERS OF HAND-HELD CHAINSAWS.
PERFORMANCE REQUIREMENTS AND TEST METHODS:
EN ISO 11393-2:2019 – PART 2: FOR LEG PROTECTORS
EN ISO 11393-4:2019 – PART 4: FOR PROTECTIVE GLOVES
EN ISO 11393-5:2019 – PART 5: FOR PROTECTIVE GAITERS
EN ISO 11393-6:2019 – PART 6: FOR UPPER BODY PROTECTORS

 EN 61482-2:2019 – LIVE WORKING. PROTECTIVE CLOTHING AGAINST THE THERMAL EFFECTS OF ELECTRICAL ARC

 EN 13758-2:2003+A1:2008 – TEXTILES. PROTECTIVE PROPERTIES AGAINST SOLAR UV RADIATION



WORKWEAR LINES AND SETS 164-172



FLEXIMOVE-JT-B 164



FLEXIMOVE-TR-B 165



COMFORT-JT-G 166



COMFORT-JT-R 166



COMFORT-JT-S 166



COMFORT-JT-A 166



COMFORT-JT-B 166



COMFORT-JT-W 166



COMFORT-BP-A 166



COMFORT-BP-B 166



COMFORT-BP-G 166



COMFORT-BP-R 166



COMFORT-BP-S 166



COMFORT-BP-W 166



COMFORT-TR-A 167



COMFORT-TR-B 167



COMFORT-TR-G 167



COMFORT-TR-R 167



COMFORT-TR-S 167



COMFORT-TR-W 167



COMFORT-SH-A 167



COMFORT-SH-B 167



COMFORT-SH-S 167



COMFORT-SH-W 167



SHELTER-JT 168

WORKWEAR



WORKWEAR LINES AND SETS 164-172



SHELTER-BP 168



SHELTER-TR 169



SHELTER-SH 169



CRAFTER-JT = RDZS 170



CRAFTER-BP = RMN 170



CRAFTER-TR=RDN 170



HAMMER-JT 171



HAMMER-BP 171



HAMMER-TR 171



BDU 172



WIZARD-O 174

HIGH-VISIBILITY GARMENTS 174-178



WIZARD-Y 174



DISCOVER-O 175



DISCOVER-Y 175



FLASHBACK-O 176



FLASHBACK-Y 176



BLINKIT-O 177



BLINKIT-Y 177



REFLECTIT-Y 177



STRAPIT-O 178



STRAPIT-Y 178

WINTER GARMENTS 180



INUIT-N 180



INUIT-A 180



INUIT-G 180



INUIT-B 180



HUNTER 180



RAINWEAR 182-184



MONSOON-A 182



MONSOON-G 182



STORM-G 183



STORM-Y 183



FLOOD-A 184

MULTIFUNCTIONAL GARMENTS 186



FLOOD-G 184



RAINFALL-G 184



RAINFALL-Y 184



SPARKING-JT-NR 186



SPARKING-TR-NR 186

CHEMICAL PROTECTIVE GARMENTS 188-190



CHEMIC-JT 188



CHEMIC-BP 189



CHEMIC-CT 190



CHEMIC-TR 190



WOODCUTTER-JT 192

CUT-RESISTANT GARMENTS 192-194



WOODCUTTER-TR 193



WOODCUTTER-BP 194



SPARKIT-CT 196



SPARKIT-AP-70 197



SPARKIT-AP-90 197

APRONS 200-202



SPARKIT-HD 198



SPARKIT-AG 198



SPARKIT-LG 198



SPLASH-G 200



SPLASH-W 200

WORKWEAR



APRONS 200-202



DASH 200



LABCOAT-WOM-LO-W 201



LABCOAT-WOM-SH-W 201



LABCOAT-MEN-LO-A 201



LAPTUNIKA-A 202

DISPOSABLE GARMENTS 204-206



LAPTUNIKA-W 202



COVERON-ULTRA 204



COVERON-MAX 204



WARD 205



PUTON-W 205



FOLIA 206



HAIRNET-W 206



HAIRNET-A 206



HAIRNET-Y 206



HAIRNET-R 206



HAIRNET-G 206



ARMFOIL = 236011 206



WORKWEAR LINES AND SETS



BE A TEAM PLAYER!

'COMFORT'

FLEXIMOVE-JT-B

4-way-stretch jacket

- Material: 90% nylon, 10% elastane – 250 g/m²
- 4-way stretch basic material with reinforced tear protection
- Double stitching at critical points
- Breathable
- Ultra-comfortable, ergonomic
- Modern fit
- Extended back
- Reflective details
- Zipper closure with chin guard
- Adjustable cuffs with Velcro
- Multifunctional, zipper and Velcro closures, reinforced Cordura® chest pockets with flaps and loop for ID badge
- Hidden side pockets with zipper closure
- Versatile – suitable for work and casual wear
- OEKO-TEX® certified material
- Washable at 40 °C, ironable at max. 110 °C
- Colours: black-fluorescent yellow


Sizes: S-5XL

Standards:

MSZ EN ISO 13688:2013
MSZ EN ISO 13688:2013/A1:2022
MSZ EN ISO 6330:2012 CAT. I.

Packaging:

1 1 10
pc. pc./pkg. pcs./carton



Chest pockets with loop for ID badge



Extended back



Adjustable cuffs with Velcro



Chin guard



FLEXIMOVE-TR-B

4-way-stretch trousers


- Material: 90% nylon, 10% elastane – 250g/m²
- 4-way stretch basic material with reinforced tear protection
- Double-/ triple stitching at critical points
- Breathable, ultra-comfortable, ergonomic
- Modern fit
- Raised back waistband
- Reinforced Cordura® ankle hem for scuff resistance
- Flexible, adjustable waist with hidden buttoned elastic band
- Reinforced Cordura® knee pad pockets with Velcro closure
- Reflective details
- Button closure, zipper fly
- Reinforced, wide belt loops
- 4 pockets, 3 loops for tools on the right side
- 1 side pocket with pocket flap with Velcro closure + 1 side pocket with zipper closure on the left side
- Reinforced Cordura® back pockets - 1 with pocket flap + 1 open
- Reinforced slanted side pockets
- Versatile - suitable for work and casual wear
- OEKO-TEX® certified material
- Washable at 40 °C, ironable at max. 110 °C
- Colours: black-fluorescent yellow

Sizes: S-5XL

Standards: MSZ EN ISO 13688:2013
MSZ EN ISO 13688:2013/A1:2022
MSZ EN ISO 6330:2012 CAT. I.

Packaging:

1 pc. 1 pc./pkg. 10 pcs./carton



WORKWEAR





Reflective details



Adjustable waist with velcro and adjustable cuffs with snaps



Chest pockets with zipper and velcro closure



Hidden front pockets



COMFORT-JT-B



COMFORT-JT-G



COMFORT-JT-R



COMFORT-JT-S



COMFORT-JT-W

COMFORT-JT-A

Jacket

- Material: 100% cotton, 250 g/m² Twill
- Reinforced seams – 2x-3x stronger
- Adjustable waist with velcro
- Adjustable cuffs with snaps
- 5 chestpockets: 2 patch pockets, 2 penholders, 1 pocket with zipper
- Two side pockets, two hidden pockets
- Reflective details on the back and on the chest
- Colour: blue-black-fluorescent yellow
COMFORT-JT-B: black-fluorescent yellow
COMFORT-JT-G: green-black
COMFORT-JT-R: red-black
COMFORT-JT-S: grey-black-fluo. orange
COMFORT-JT-W: white-grey

Sizes: S-5XL

Packaging:

1 pc. 1 pc./pkg. 25 pcs./carton



COMFORT-JT-B -JT-G -JT-R -JT-S -JT-W



Reflective details



Knee pockets with velcro closure



Adjustable elastic waistband, back pockets with flap



Set of chest pockets with zipper and flap closure



COMFORT-BP-A



COMFORT-BP-G



COMFORT-BP-R



COMFORT-BP-S



COMFORT-BP-W

COMFORT-BP-B

Bibpants

- Material: 100% cotton, 250 g/m² Twill
- Reinforced seams – 2x-3x stronger
- Comfortable elastic waistband
- Adjustable waistband with buttons
- Adjustable length with elastic braces
- Reinforced knee patches
- Reflective details on the knees and waist
- Colours: black-fluorescent yellow
COMFORT-BP-A: blue-black-fluo. yellow
COMFORT-BP-G: green-black
COMFORT-BP-R: red-black
COMFORT-BP-S: grey-black-fluo. orange
COMFORT-BP-W: white-grey

Sizes: S-5XL

Packaging:

1 pc. 1 pc./pkg. 25 pcs./carton



COMFORT-BP-A -BP-G -BP-R -BP-S -BP-W

COMFORT-TR-W

Trousers

- Material: 100% cotton, 250 g/m² Twill
- Reinforced seams – 2x-3x stronger
- Comfortable elastic waistband
- 4 tool holders on the right
- 1 side pocket with velcro closure, 1 side pocket with zipper on the left
- Knee pockets with velcro closure
- Reflective details on the knees and on the waist
- Colours: white-grey
COMFORT-TR-B: black-fluorescent yellow
COMFORT-TR-G: green-black
COMFORT-TR-R: red-black
COMFORT-TR-S: grey-black-fluo. orange
- Sizes: S-5XL

Packaging:

■	■	■		
1	1	25		
pc.	pc./pkg.	pcs./carton		



COMFORT-TR-A



COMFORT-TR-B



COMFORT-TR-G



COMFORT-TR-R



COMFORT-TR-S


COMFORT-SH-S

Shorts

- Material: 100% cotton, 250 g/m² Twill
- Reinforced seams – 2x-3x stronger
- Comfortable elastic waistband
- 4 tool holders on the right
- 1 side pocket with velcro closure, 1 side pocket with zipper on the left
- Reflective detail on the waist
- Colours: grey-black-fluorescent orange
COMFORT-SH-A: blue-black-fluo. yellow
COMFORT-SH-B: black-fluorescent yellow
COMFORT-SH-W: white-grey
- Sizes: S-5XL

Packaging:

■	■	■		
1	1	25		
pc.	pc./pkg.	pcs./carton		



COMFORT-SH-A



COMFORT-SH-B



COMFORT-SH-W





Reflective and visible details



Adjustable cuffs and waist with snaps



Hidden chest pocket



Hidden front zip pockets

SHELTER-JT


Jacket

- Material: 65% polyester, 35% cotton – 250g/m² Twill
- Double stitching – 2x stronger
- Reflective and visible details
- Adjustable cuffs and waist with snaps
- Hidden chest pocket
- Hidden front zip pockets
- Washable at 60 °C, iron at max. 110 °C
- Colours: black-grey-yellow

Sizes: S-5XL

Packaging:

1 1 10
pc. pc./pkg. pcs./carton



Reflective details



Fluorescent details



Comfortable elastic high back waistband



Adjustable waist with buttons



Side pockets with velcro closure



Reinforced knee patches

SHELTER-BP

Bibpants

- Material: 65% polyester, 35% cotton – 250g/m² Twill
- Reinforced seams – 2x-3x stronger
- Reflective and fluorescent details
- Comfortable elastic waistband
- Reinforced knee patches
- Chest pocket with zipper
- Side pockets with velcro closure
- Washable at 60 °C, iron at max. 110 °C
- Colours: black-grey-yellow

Sizes: S-5XL

Packaging:

1 1 10
pc. pc./pkg. pcs./carton



SHELTER-TR

Trousers

- Material: 65% polyester, 35% cotton – 250g/m² Twill
 - Reinforced seams – 2x-3x stronger
 - Reflective and fluorescent inserts
 - Comfortable elastic & raised high back waistband
 - Reinforced knee patches
 - Side pockets with velcro closure
 - Washable at 60 °C, iron at max. 110 °C
 - Colours: black-grey-yellow
- Sizes:** S-5XL

Packaging:

1 pc. 1 pc./pkg. 10 pcs./carton



Reflective inserts



Comfortable elastic & raised high back waistband



Fluorescent details



Side pockets with velcro closure



Reinforced knee patches

SHELTER-SH

Shorts

- Material: 65% polyester, 35% cotton – 250g/m² Twill
- Reinforced seams – 2x-3x stronger
- Reflective and fluorescent inserts
- Comfortable elastic waistband
- Side pockets with velcro closure
- Washable at 60 °C, iron at max. 110 °C
- Colours: black-grey-yellow

Sizes: S-5XL

Packaging:

1 pc. 1 pc./pkg. 10 pcs./carton



Reflective and visible details



Reinforced seams



Comfortable elastic waistband



Side pockets with velcro closure





CRAFTER-JT = RDZS

Jacket

- Material: 65% polyester, 35% cotton
- Material weight: 245 g/m²
- Two side pockets, two chest pockets, pen-holder on left sleeve
- Adjustable cuffs with press studs
- Washable at 60 °C
- Seamless back suitable for logo

- printing
- Colour: grey-orange

Sizes: S-5XL

Packaging:

■ 1 1 10
pc. pc./pkg. pcs./carton



Set of functional pockets



Pockets with press stud closure, pen holders on chest and sleeve



Chest pocket with zipper closure

CRAFTER-BP = RMN

Bibpants

- Material: 65% polyester, 35% cotton
- Material weight: 245 g/m²

- Two side pockets, two back pockets, one chest pocket, two side thigh pockets, one front thigh pocket, one tool holder
- Adjustable length with elastic braces
- Adjustable, elastic waistband
- Knee pockets with velcro closure
- Washable at 60 °C
- Colour: grey-orange
- Sizes:** S-5XL



Adjustable waist with buttons, side pockets



Knee pockets with velcro closure



Thigh pocket with press stud closure



Back pocket with press stud closure, tool holder

Packaging:

■ 1 1 10
pc. pc./pkg. pcs./carton



Back pocket with press stud closure, tool holder

CRAFTER-TR = RDN

Trousers

- Material: 65% polyester, 35% cotton
- Material weight: 245 g/m²
- Two side pockets, two back pockets, one side thigh pocket, one front thigh pocket, one side tool holder
- Elastic waistband
- Seven belt loops

- Knee pockets with velcro closure
- Washable at 60 °C
- Colour: grey-orange


Sizes: S-5XL

Packaging:

■ 1 1 10
pc. pc./pkg. pcs./carton



Thigh pocket with press stud closure



Knee pockets with velcro closure





HAMMER-JT

Jacket

- Material: 100% cotton, 270 g/m²
- 4 front pockets with flap and press studs
- Adjustable cuffs with button closure
- Elastic waistband
- Front zip closure
- Seamless back suitable for printing

- Washable at 60 °C
- Colour: royal blue

Sizes: S-5XL

Packaging:

1 pc. 1 pc./pkg. 25 pcs./carton



Chest pockets with flap and press stud closure



Reinforced side pockets



Elastic waistband



Chest pocket with flap and press stud closure



Adjustable waistband with buttons, reinforced side pockets



Elastic waistband



Back pocket with flap and press stud closure, tool holder



Elastic braces

HAMMER-BP

Bibpants

- Material: 100% cotton, 270 g/m²
- Two side pockets, one chest pocket, one back pocket, one tool holder
- Adjustable length with elastic braces
- Adjustable, elastic waistband
- Reinforced knee patches
- Button fly

- Washable at 60 °C
- Colour: royal blue

Sizes: S-5XL

Packaging:

1 pc. 1 pc./pkg. 25 pcs./carton



Elastic waistband



Back pocket with flap and press stud closure, tool holder



Button fly



Reinforced, open side pockets

HAMMER-TR

Trousers

- Material: 100% cotton, 270 g/m²
- Two side pockets, one back pocket, one tool holder
- Elastic waistband with button closure
- Reinforced knee patches
- Button fly
- Washable at 60 °C

- Colour: royal blue
- Sizes:** S-5XL

Packaging:

1 pc. 1 pc./pkg. 25 pcs./carton



BDU

BDU trousers

- Material: 65% cotton, 35% polyester
- Material weight: 280 g/m²
- Two side pockets, two thigh pockets, two back pockets
- Elastic waistband with button closure
- Reinforced knee patches
- Washable at 60 °C
- Colour: black

Sizes: S-5XL

Packaging:

■	□	□□
1	1	20
pc.	pc./pkg.	pcs./carton



Adjustable waistband with buckle



Functional set of side pockets



Reinforced seat



Back pockets with flap with button closure



Adjustable trouser hem with drawstring



HIGH VISIBILITY GARMENTS



BE NOTICABLE!

'FLASHBACK'

WIZARD-O

High-visibility multifunctional winter parka and softshell jacket

- Material outer shell: 100% polyester
- Material outer shell weight: 190 g/m²
- Material inner jacket: 100% softshell polyester
- Material inner jacket weight: 290 g/m²
- 4-in-1 design:
- 1: High-visibility winter parka with softshell lining (inner jacket), water-repellent
- 2: Distinctive softshell jacket with

- detachable sleeves
- 3: High-visibility softshell vest
- 4: High-visibility parka, water-repellent
- Horizontal and vertical reflective stripes
- Side-, inside- and hidden pockets
- Badge holder on parka and inner softshell jacket
- Concealed-, detachable- and adjustable hood on parka

- Zipper in mesh lining for easy logo printing on the back
 - Washable at 40 °C
 - Ironable at max. 110 °C
 - Colour: fluorescent orange
- Sizes:** S-5XL

Packaging:

■ □ ■
1 1 10
pc. pc./pkg. pcs./carton



WIZARD-Y
Colour: fluorescent yellow



Concealed, detachable, adjustable hood



Detachable outer jacket



Badge holder, storm flap with studs



Adjustable velcro cuff, covered welted pockets



Zipper in mesh lining for easier printing and embroidery

Standards:

Outer jacket with lining:

MSZ EN ISO 20471:2020



Class 2

MSZ EN 343:2019



MSZ EN 342:2018



0,32(R)

X

3

X

Outer jacket without lining:

MSZ EN ISO 20471:2020



Class 2

MSZ EN 343:2019



Vest

(inner jacket without sleeves):

MSZ EN ISO 20471:2020



Class 2



DISCOVER-Y

High-visibility 3 in 1 pilot jacket

- Material: 45% polyester, 55% cotton
- Material lining: 100% PES, 290 g/m²
- 3-in-1 design: removable lining, detachable sleeves
- Two horizontal reflective stripes
- Washable at 40 °C
- Ironable at max. 110 °C
- Seamless back suitable for logo printing
- Colour: fluorescent yellow

Sizes: S-5XL

Standards (with sleeves):

MSZ EN ISO 20471:2013
MSZ EN ISO 20471:2013/A1:2017



Packaging:

1 1 10
pc. pc./pkg. pcs./carton



DISCOVER-O

Colour: fluorescent orange



Detachable sleeves with zipper




Sleeve pocket, pen holder



Detachable lined collar with zipper



Inside pocket



Mobile phone pocket



Two-way zipper



Badge holder

WORKWEAR



FLASHBACK-O

High-visibility winter parka

- Material outer shell: 100% polyester
 - Material outer shell weight: 190 g/m²
 - Mater. inner shell: 100% polyester, 190T
 - Material inner shell weight: 60 g/m²
 - Material lining: 100% polyester
 - Padding weight: 170 g/m²
 - Reflective stripes
 - Concealed- and adjustable hood
 - Two side pockets with flap
 - One hidden pocket alongside front zipper closure
 - Front zipper closure and flap with press studs
 - Knitted stretch cuff inside sleeves
 - Quilted padding
 - Washable at 40 °C, iron at max. 110 °C
 - Colour: fluorescent orange
- Sizes:** S-5XL

Standards:
MSZ EN ISO 13688:2013
MSZ EN ISO 13688:2013/A1:2022

Packaging:


■	□	□□
1	1	10
pc.	pc./pkg.	pcs./carton




FLASHBACK-Y
 Colour: fluorescent yellow



Concealed, adjustable hood



Two-way zipper



Easy-opening strong button snaps



Knitted stretch cuff inside sleeves



Hidden pocket with zipper



Pockets with flap

Standards:

MSZ EN ISO 20471:2013
 MSZ EN ISO 20471:2013/A1:2017



MSZ EN 14058:2018



MSZ EN 343:2019



BLINKIT-Y

High-visibility safety vest

- Material: 100% polyester
- Material weight: 120 g/m²
- Front velcro closure
- Two horizontal reflective stripes
- Colour: fluorescent yellow

Sizes: S-4XL

Standards:
MSZ EN ISO 13688:2013

MSZ EN ISO 20471:2020



Packaging:

 1 pc.
 1 pc./pkg.
 50 pcs./carton



Closure with velcro fastening



BLINKIT-0

Colour: fluorescent orange



REFLECTIT-Y


Distinguishing safety vest

- Material: 100% polyester
- Material weight: 60 g/m²
- Front velcro closure
- Two horizontal reflective stripes
- Colour: yellow

Sizes: S-4XL

Packaging:

 1 pc.
 1 pc./pkg.
 100 pcs./carton



Closure with velcro fastening



STRAPIT-O

High-visibility strap

- Material: 100% polyester
- Material weight: 120 g/m²
- Front velcro closure
- Cross-sewed on back
- With reflective stripes
- Colour: fluo-orange

Sizes:		
Man	– height	170-194 cm
	– chest	102-129 cm
Woman	– height	150-174 cm
	– chest	90-114 cm

Standards:
MSZ EN ISO 13688:2013

MSZ EN ISO 20471:2020



Packaging:

■	□	■	■
1	1	100	
pc.	pc./pkg.	pcs./carton	



STRAPIT-Y

Colour: fluorescent yellow



Adjustable waistband with velcro fastening



WINTER GARMENTS



BE ADAPTIVE! 'INUIT'



Detachable, zipped collar lining



INUIT-A

Colour: light blue



INUIT-G

Colour: green



INUIT-B

Colour: black



Walkie talkie holder + chest pocket with zipper closure



Two way zipper closure



Removable lining with zipper



Detachable sleeves with zipper

INUIT-N

Winter pilot jacket

- Material: 55% cotton, 45% polyester (water-repellent)
- Lining: faux fur
- Pockets: Two on the side, two on the chest with zipper, one on the inside
- Removable lining
- Detachable sleeves
- Elastic waistband and cuffs
- Seamless back suitable for logo printing
- Colour: navy blue

Sizes: S-3XL

Packaging:

■	□	□□
1	1	10
pc.	pc./pkg.	pcs./carton



HUNTER

Thermal underwear set

- Material: 100% cotton
- Material weight: 180 g/m²
- OEKO-TEX® standard
- Bottom:
 - Elastic waistband
 - Knitted elastic ankle cuff
 - Open fly
- Top:
 - Comfortable round neck
 - Knitted elastic cuff
- Only available as a set (bottom + top)!
- Colour: steel grey

Sizes: S-3XL

Packaging:

■	□	□□
1	1	30
set	set/pkg.	sets/carton



RAINWEAR



STAND THE STORMS!

'STORM-Y'

MONSOON-G

Polyester/PVC rain suit

- Material: polyester/PVC
- Jacket:
 - Two side pockets and flap
 - Length: 90cm
 - Zipper closure, flap with press studs
 - Concealed hood
- Inner elastic cuff
- Ventilation on the back
- Trousers:
 - Elastic waistband and ankle cuff
 - Colour: green

Sizes: M-3XL

Packaging:

 1 set/pkg.
 1 sets/carton
 20 sets/carton



MONSOON-A


Colour: blue




Front zipper closure and flap with press studs



Inner elastic cuff, side pockets with flap



Concealed hood



Armpit ventilation



Elastic waistband



Adjustable trouser hem with press studs



STORM-Y

PVC rain suit

- Material: 100% PVC
- Front zipper closure and flap with press studs
- Jacket with hood, two side pockets with flap

- Hood and waistband adjustable with drawstring
- Trousers with elastic waistband
- Colour: yellow

Packaging:

■ 1 set
■ 1 set/pkg.
■ 20 sets/carton



Sizes: M-3XL



STORM-G
Colour: green



Elastic waistband



Side pockets with flap



Zipper closure, flap with press studs, adjustable hood



Armpit ventilation



Ventilation on the back



Inner elastic cuff



Adjustable trouser hem with press studs

WORKWEAR





FLOOD-G

Colour: green



Inner elastic cuff,
side pockets with flap



Zipper closure,
flap with press studs



Concealed hood



Armpit ventilation

FLOOD-A

Polyester/PVC raincoat

- Material: polyester/PVC
- Two side pockets with flap
- Length: 120 cm
- Front zipper closure and flap with press studs
- Concealed hood, ventilation on the back
- Inner elastic cuff
- Colour: navy blue

Sizes: M-3XL

Packaging:

1 pc. 1 pkg. 20 pcs./carton



RAINFALL-G

Colour: green



Zipper closure, flap with press studs



Adjustable hood with drawstring



Side pockets with flap



Ventilation on the back



Inner elastic cuff



Armpit ventilation

RAINFALL-Y

PVC raincoat

- Material: 100% PVC
- Front closure with press studs
- Two side pockets with flap
- Length: up to knee height
- With hood
- Colour: yellow

Sizes: M-3XL

Packaging:

1 pc. 1 pkg. 20 pcs./carton



MULTIFUNCTIONAL GARMENTS



BE READY FOR EVERYTHING!

'SPARKING'



SPARKING-JT-NR

Multifunctional jacket

- Material: 80% cotton, 19% polyester, 1% antistatic fiber
- Protective clothing against heat, flame and liquid chemicals (Type 6 and PB [6])
- Antistatic (electrostatic dissipative) material, can be used in explosive atmospheres and near flammable materials
- Front zip closure with flap and press studs
- Air vents at the back
- 2 hidden pockets with zip closure
- Chest pocket with flap and Velcro closure on the left
- Reflective elements
- Cuffs with hidden button
- Colours: navy-red

Sizes: S-5XL

Standards: CAT. III.
 MSZ EN ISO 13688:2013,
 MSZ EN ISO 13688:2013/A1:2022

Packaging:

1 1 25
 pc. pc./pkg. pcs./carton



SPARKING-TR-NR

Multifunctional trousers

- Material: 80% cotton, 19% polyester, 1% antistatic fiber
- Protective clothing against heat, flame and liquid chemicals (Type 6 and PB [6])
- Antistatic (electrostatic dissipative) material, can be used in explosive atmospheres and near flammable materials
- Fly front zipper
- Waistband with hidden buttons
- Comfortable elastic waistband
- 5 belt loops
- Hidden side pockets with zipp closure
- Back pockets with flaps, Velcro closure
- Knee pockets with velcro closure
- Reflective elements
- Colours: navy-red

Sizes: S-5XL

Standards: CAT. III.
 MSZ EN ISO 13688:2013,
 MSZ EN ISO 13688:2013/A1:2022

Packaging:

1 1 25
 pc. pc./pkg. pcs./carton



CHEMICAL PROTECTIVE GARMENTS



BE IMMUNE!

'CHEMIC'

CHEMIC-JT

Chemical-resistant jacket

- Material: 35% cotton, 65% polyester
- Material weight: 245 g/m²
- Two chest pockets with flap and button closure
- Elastic waistband
- Protective clothing against liquid chemicals (Type 6 and PB [6])
- Colour: blue-navy blue

Sizes: 42-64

Standards:
MSZ EN ISO 13688:2013
MSZ EN ISO 13688:2013/A1:2022



MSZ EN 13034:2005
+A1:2009




PB [6]

Packaging:

1 1 25
pc. pc./pkg. pcs./carton



Chest pockets with button closure



Elastic waistband with button closure



Cuff with button closure



CHEMIC-BP

Chemical-resistant bibpants

- Material: 35% cotton, 65% polyester
- Material weight: 245 g/m²
- Pockets with flap and button closure: two on the chest, two set-in on the front, one tool holder, one on the back
- Button fly
- Elastic waistband
- Elastic braces with buckle

- Protective clothing against liquid chemicals (Type 6 and PB [6])
- Colour: blue-navy blue

Sizes: 42-64

Standards: MSZ EN ISO 13688:2013
MSZ EN ISO 13688:2013/A1:2022



MSZ EN 13034:2005
+A1:2009



PB [6]

Packaging:

1 1 20
pc. pc./pkg. pcs./carton



Chest pocket with button closure



Hidden pocket



Back pocket with flap and button closure



Tool holder with button closure



Elastic waistband



Adjustable waistband with buttons

WORKWEAR





Cuff with button closure



Chest pockets with button closure

CHEMIC-CT

Chemical-resistant coat

- Material: 35% cotton, 65% polyester
- Material weight: 245 g/m²
- Two chest pockets with flap and button closure
- Front button closure with flap
- Protective clothing against liquid chemicals (Type 6 and PB [6])
- Colour: blue-navy blue

Sizes: 42-64

Standards:

MSZ EN ISO 13688:2013

MSZ EN ISO 13688:2013/A1:2022

MSZ EN 13034:2005
+A1:2009



PB [6]



Packaging:

■	□	□
1	1	20
pc.	pc./pkg.	pcs./carton



Tool holder with button closure



Back pocket with flap and button closure, hidden pocket



Elastic waistband

CHEMIC-TR

Chemical-resistant trousers

- Material: 35% cotton, 65% polyester
- Material weight: 245 g/m²
- Two front set-in pockets, a tool holder with flap and button closure, one back pocket with flap and button closure
- Button fly
- Elastic waistband
- Protective clothing against liquid chemicals (Type 6 and PB [6])
- Colour: blue-navy blue

Sizes: 42-64

Standards:

MSZ EN ISO 13688:2013

MSZ EN ISO 13688:2013/A1:2022

MSZ EN 13034:2005
+A1:2009



PB [6]



Packaging:

■	□	□
1	1	25
pc.	pc./pkg.	pcs./carton



A woodcutter is shown in profile, leaning forward and using a chainsaw to cut through a large log. He is wearing a green and orange safety suit, a helmet with a face shield, and a tool belt. Sawdust is flying from the cut. In the background, another person in similar gear is visible, slightly out of focus. The scene is set in a wooded area with autumn foliage.

CUT-RESISTANT GARMENTS

KEEP YOURSELF TOGETHER!

'WOODCUTTER'



WOODCUTTER-JT

Chainsaw-protective jacket

- Material outer shell: 65% polyester, 35% cotton
 - Material inner shell and protective layer: 100% polyester
 - Material protective layer weight: 140 g/m²
 - Protective layers: 10
 - Chainsaw protection level: Class 1 (20 m/s)
 - Two side pockets, two chest pockets, one inside pocket
 - Front zipper closure and flap with press studs
 - Type A
 - Colour: green-orange
- Sizes:** S-3XL

Standards:
EN ISO 11393-6:2019 **EN ISO 13688:2013 Class 1**




Class 1



Packaging:

1 1 10
pc. pc./pkg. pcs./carton



Adjustable collar with velcro fastening



Walkie talkie holder



Chest pocket with flap



Adjustable cuff with press studs



Inside pocket



WOODCUTTER-TR

Chainsaw-protective trousers

- Material:
 - Outer shell: 100% Oxford polyester
 - Inner shell: 100% polyester
 - Protective layer: 43% polyester, 57% polypropylene – 120 g/m²
- Protective layers: 9
- Chainsaw protection level: Class 1 (20 m/s)
- Two side pockets, one back pocket, two tool holders on the right, one thigh pocket with flap on the left
- Adjustable waistband with velcro
- Fly with zipper
- Type A
- Colour: green-orange

Sizes: S-3XL

Standards:




EN ISO 13688:2013

EN ISO 11393-2:2019 Class 1



Packaging:



Set of side pockets with press stud closure



Adjustable waistband with velcro fastening, open side pockets



Thigh pocket with flap and velcro closure

WORKWEAR



WOODCUTTER-BP

Chainsaw-protective bibpants

- Material:
 - Outer shell: 65% polyester, 35% cotton
 - Inner shell and protective layer: 100% polyester – 110 g/m²
- Protective layers: 10
- Chainsaw protection level: Class 1 (20 m/s)
- Two side pockets, one chest pocket

- with zipper, one back pocket with velcro closure, one tool holder
- Adjustable elastic waistband with buttons
- Elastic braces with buckles
- Fly with zipper
- Type A
- Colour: green-orange
- Sizes:** S-3XL

Standards:

EN 381-5:1995

EN ISO 13688:2013

EN ISO 11393-2:2019 Class 1




Class 1



Packaging:

1 1 10
pc. pc./pkg. pcs./carton



Adjustable waistband with buttons, open side pocket



Elastic braces



Back pocket with flap, tool holder



WELDING GARMENTS



BE SPARKLING!

'SPARKIT'



SPARKIT-CT

Leather welding jacket

- Material: cow split leather
- Stitched with Kevlar® thread
- Front closure with press studs
- Import
- Economical version
- Colour: grey

Sizes: S-3XL

Standards:

EN ISO 11611:2015



Class 2 A1+A2



Packaging:

1 1 10
pc. pc./pkg. pcs./carton



Front closure with press studs



SPARKIT-AP-70

Leather welding apron, 110×70 cm

- Material: cow split leather
- Stitched with Kevlar® thread
- Brace strengthened with studs
- Made of several pieces of leather
- Tie behind the back
- Colour: grey

Size: 110×70 cm

Standards:

EN ISO 11611:2015



Class 2 A1+A2

Packaging:

1 pc. 1 pc./pkg. 20 pcs./carton



SPARKIT-AP-90

Size: 110×90 cm



Brace strengthened with studs

WORKWEAR





SPARKIT-HD

Cow split welding hood

- Material: cow split leather
- Stitched with Kevlar® thread
- Adjustable head size
- Colour: grey

Size: one size

Standards:

EN ISO 11611:2015



Class 2 A1+A2

Packaging:

1 1 20
pc. pc./pkg. pcs./carton



SPARKIT-AG

Leather welding arm guard

- Material: cow split leather
- Stitched with Kevlar® thread
- Adjustable cuffs with velcro
- Colour: grey

Size: one size

Standards:

EN ISO 11611:2015



Class 2 A1+A2

Packaging:

1 1 20
pair pair/pkg. pairs/carton



Adjustable cuffs with velcro



SPARKIT-LG

Leather welding leg guard

- Cow split leather
- Stitched with Kevlar® thread
- Instep cover with velcro fastening
- Colour: grey

Size: one size

Standards:

EN ISO 11611:2015



Class 2 A1+A2

Packaging:

1 1 20
pair pair/pkg. pairs/carton



Adjustable shin with velcro fastening

Velcro fastening on the sole



APRONS



BE TIRELESS!

'SPLASH'



SPLASH-W
Colour: white



SPLASH-G

PVC apron

- Material: PVC
- Fixed neck loop
- Tie-back closure
- Colour: green

Size: 110x90 cm

Packaging:

▪ □ □
1 1 50
pc. pc./pkg. pcs./carton



DASH

Canvas apron

- Material: 100 % canvas
- Fixed neck loop
- Tie-back closure
- Own production
- Colour: green

Size: 90x70 cm

Packaging:

▪ □ □
1 1 50
pc. pc./pkg. pcs./carton





LABCOAT-WOM-LO-W

Long sleeve lab coat for women, white

- Material: 65% PES, 35% cotton, 200 gr/m²
- Pockets: 2 on front, 1 on chest
- Closure with buttons
- Length: 120 cm
- Colour: white

Sizes: S-2XL

Packaging:

▪	□	□
1	1	25
pc.	pc./pkg.	pcs./carton



LABCOAT-WOM-SH-W

Short sleeve lab coat for women, white

- Material: 65% PES, 35% cotton, 200 gr/m²
- Pockets: 2 on front, 1 on chest
- Closure with buttons
- Length: 80 cm
- Colour: white

Sizes: S-4XL

Packaging:

▪	□	□
1	1	25
pc.	pc./pkg.	pcs./carton



LABCOAT-MAN-LO-A

Long sleeve lab coat for men, blue

- Material: 65% PES, 35% cotton, 200 gr/m²
- Pockets: 2 on front, 1 on chest
- Closure with buttons
- Length: 120 cm
- Colour: blue

Sizes: S-5XL

Packaging:

▪	□	□
1	1	25
pc.	pc./pkg.	pcs./carton





LAPTUNIKA-A

Tunic, blue

- Material: 55% cotton, 45% polyester
- With two pockets
- Side tie closure
- Color: blue

Sizes: XS-4XL

Packaging:

■ □ □
1 1 50
pc. pc./pkg. pcs./carton



LAPTUNIKA-W

Tunic, white

- Material: 55% cotton, 45% polyester
- With two pockets
- Side tie closure
- Color: white

Sizes: XS-5XL

Packaging:

■ □ □
1 1 50
pc. pc./pkg. pcs./carton



DISPOSABLE GARMENTS



BE CARING! 'COVERON-ULTRA'



COVERON-ULTRA

Disposable chemical resistant protective coveralls (type 3/4/5/6)


- Material: 100% polypropylene + polyethylene film coating
- Type 3 & 4 & 5 & 6 microporous protective coverall with hood
- Material weight: 82 g/m²
- Colour: yellow

Sizes: S-3XL

Standards:

CATEGORY III. TYPE 3/4/5/6

EN 14325:2004 EN ISO 13688:2013 CE



Packaging:



COVERON-MAX

Disposable chemical resistant protective coveralls (type 5/6)


- Material: 100% polypropylene + polyethylene film coating, 55 g/m²
- Type 5 & 6 microporous protective coverall with hood
- Antistatic property
- Colour: white

Sizes: S-6XL

Standards:

CATEGORY III. TYPE 5/6

EN 14325:2004 EN ISO 13688:2013 CE



Packaging:





WARD

Disposable coverall

- Material: non-woven polypropylene (PP)
- Material weight: 40 g/m²
- With hood
- Front closure with zipper
- Elastic, flexible cuff
- Colour: white

Sizes: M-2XL

Packaging:

▪	▣	▣
1	1	50
pc.	pc./pkg.	pcs./carton



PUTON-W

Disposable coat

- Material: non-woven polypropylene (PP)
- Material weight: 42 g/m²
- Length: 110 cm
- Front closure: with velcro or zipper or press studs
- Without pockets
- Colour: white

Sizes: M-2XL

Packaging:

▪	▣	▣
1	1	50
pc.	pc./pkg.	pcs./carton





FOLIA

Disposable apron

- Material: polyethylene (HDPE)
- Material weight: 35 g/m²
- Size: 135×100 cm
- Thickness: 32 µm
- Tie-back closure
- Colour: white

Packaging:

■ □ □
 1 10 500
 pc. pc./pkg. pcs./carton



Size: one size



HAIRNET-W

Disposable hairnet

- Material: non-woven polypropylene (PP)
- Crinkled
- Colour: white

Packaging:

■ □ □
 1 100 1000
 pc. pc./pkg. pcs./carton



Size: one size



HAIRNET-A
Colour: blue



HAIRNET-Y
Colour: yellow



HAIRNET-R
Colour: red



HAIRNET-G
Colour: green



ARMFOIL = 236011

Disposable oversleeve

- Material: polyethylene (LDPE)
- Size: 40×20 cm
- Thickness: 18 µm
- Elastic on both ends
- Colour: blue

Packaging:

■ □ □
 1 100 2000
 pc. pc./pkg. pcs./carton



Size: one size



OTHER PPE



1 BT9 CE
ANSI Z87.1
FACE SHIELD VISOR
5' x 15 1/2" x 1.0mm CLEAR
POLYCARBONATE
MODEL NO. SE173A
MADE IN TAIWAN

INDUSTRIAL CLEANING 212		HEAD PROTECTION 215-218							
									
DUSTOFF-60X90-A/60	212	DUSTOFF-90X115-A/60	212	DH-V2	212	SE1701S	215	SE1701N	215
									
SE1701P	215	SE1701F	215	SE1701K	215	SE170K	215	SE170T	215
									
SE1709	216	SE172B	216	SE173A	216	SE175A	216	SE176E	217
									
SE176B	217	SE176D	217	SE176G	217	SE1710	218	FZ-1/B	218
									
FZ-1/D	218	WINCAP-O	218	WINCAP-B	218	WINCAP-N	218	WINCAP-G	218



EYE AND FACE PROTECTION 221-224



VISU-MAX-Y = 91708/SA 221



VISU-MAX-S = 91708/SZ 221



VISU-MAX-T = 91708/VT 221



VISU-ACE-Y = 90960/SA 221



VISU-ACE-S = 90960/SZ 221



VISU-ACE-T = 90960/VT 221



SE2275 221



SE2266 221



SE2105 222



SE2172 222



SE2160 222



SE1120 223



SE1116 223



SE1152 223



SE2724 224



SE2713 224



SE2737 224



SE2831 224



SE2830 224



RESPI-MAX-1 227

RESPIRATORY PROTECTION 227-228



RESPI-MAX-2 227



RESPI-MAX-V2 227



RESPI-MAX-V3 227



SE1542 228



SE154A 228

OTHER PPE



HEARING PROTECTION 231-232



SE154P 228



SE1344 231



SE1340 231



SE1310 232



SE1374 232

ACCESSORIES 234-235



BACKUP = SE2910 234



KNEE-HERO 234



FIXIT-Y 234



FIXIT-O 234



FIXIT-B 234



SIGTAPE-Y 235



SIGTAPE-R 235



WARNTAPE-R 235



WARNTAPE-Y 235



WIZBAND = HV-PANT 235





INDUSTRIAL CLEANING



BE A PERFECTIONIST! 'DH-V2'

DUSTOFF-90×115-A/60



Easily removable, individually numbered layers



DUSTOFF-60×90-A/60

Sticky mat, blue

- Material: LDPE (Low Density Polyethylene) foil film
- Size: 90cm X 115cm ±0.5cm
- Color: blue
- Number of layers: 60
- Glue: water-soluble PSA (Pressure Sensitive Adhesive)
- Increases the dissipation efficiency of the ESD footwear by strong cleaning
- Easily removable, individually numbered layers
- Can be stucked directly to the floor
- No special equipment is required for installation
- ANTIBACTERIAL

Packaging:

1 pc. 1 pc./pkg. 10 pcs./carton



DUSTOFF-60×90-A/60

Size: 60×90 cm ±0.5 cm

Packaging:

1 pc. 1 pc./pkg. 10 pcs./carton



DH-V2



6 simultaneously working cleaning brushes: 3 sole-, 2 side- and 1 toecap cleaning



Removable dust tray and built-in vacuum cleaner keeps the area of the machine clean

Shoe cleaning machine

- ESD certified, with electric shock protection
- Increases the dissipation efficiency of the ESD footwear by strong cleaning
- Fully automatic cleaning process – manual operation is not needed
- Designed for industrial use – durable stainless steel parts, industrial cleaning brushes and engines
- Built-in vacuum cleaner – keeps the area of the machine clean by collecting the floating dust particles during the cleaning process
- 6 simultaneously working cleaning brushes – sole cleaning (3 brushes), side cleaning (2 brushes), toecap cleaning (1 brush)
- User friendly and maintenance-free – no special expertise required

Standards:

IEC 61340-5-1:2024
ANSI/ESD S20.20:2021



Packaging:

1 pc. 1 pc./pkg. 1 pcs./carton



A full-page photograph of a worker in an orange protective suit, a large orange helmet with a clear visor, and black knee pads. The worker is bent over, using a power tool to grind a metal rail on a railway track. Bright orange sparks are flying from the point of contact. In the background, there are railway tracks and a train. In the bottom right corner, a blue hard hat is lying on the ground.

HEAD PROTECTION

MIND YOUR HEAD! 'SE1701'

HEAD PROTECTION – STANDARDS

EN 397:2025/AC:2025 – INDUSTRIAL SAFETY HELMETS

EN 812:2012 – INDUSTRIAL BUMP CAPS





SE1701S

Safety helmet

- Material: polypropylene
- Integrated soft sweatband
- 6-point adjustable suspension
- Can be equipped with ear muffs, visors
- Compatible with helmet bracket: SE172B
- Colour: yellow

Standards:

EN 397:2012+A1:2012 CE ⓘ

Packaging:

1 pc./pkg. 1 pc./pkg. 40 pcs./carton



SE1701N

Colour: orange

SE1701P

Colour: red

SE1701F

Colour: white

SE1701K

Colour: blue

SE170K

Helmet sweatband

- Compatible with:
SE1701, SE176D, SE176E, SE176B

Packaging:

1 pc./pkg. 1 pc./pkg. 240 pcs./carton



SE170T

Chin strap

- Material: nylon
- Simple fixing
- Adjustable length
- Compatible with helmet: SE1701

Packaging:

1 pc./pkg. 50 pcs./pkg. 1000 pcs./carton





SE1709

Neck shade

- Material: PVC
- Simple fixing
- Compatible with helmet: SE1701

Packaging:

1
 pc.

1
 pc./pkg.

200
 pcs./carton



SE172B

Helmet bracket

- Material: aluminium
- Compatible with helmet: SE1701
- Compatible with visors: SE173A, SE175A
- Colour: black

Standards: EN 166:2001

Can be combined with:
SE1720 = Visor SE173A + Bracket SE172B

Packaging:

1
 pc.

1
 pc./pkg.

100
 pcs./carton



SE173A

Clear visor

- Material: polycarbonate
- Aluminum frame
- Compatible with helmet browguard: SE176B, SE172B
- Colour: clear

Standards: EN 166:2001

Can be combined with:
SE1720 = Visor SE173A + Bracket SE172B
SE1760 = Visor SE173A + Browguard SE176B

Packaging:

1
 pc.

35
 pc./pkg.

140
 pcs./carton



SE175A

Mesh visor

- Mesh visor with aluminium frame
- Protection against small high-speed particles with compatible helmet bracket (SE172B) or browguard (SE176B)
- Colour: black

Standards: EN 166:2001

Can be combined with:
SE1720 = Visor SE173A + Bracket SE172B

Packaging:

1
 pc.

35
 pc./pkg.

140
 pcs./carton





SE176E

Browguard

- Wheel ratchet adjustable head harness for easy fitting (head size: 6,5 – 8)
 - Soft sweatband
 - Face shield position can be fixed when flipped up
 - Compatible with visor: SE176G
 - Colour: yellow
- Size:** 6,5–8

Standards:

See at the compatible visors.

Packaging:

1 pc. 1 pc./pkg. 60 pcs./carton



SE176B

Browguard

- Wheel ratchet adjustable head harness for easy fitting (head size: 6,5 - 8)
 - Soft sweatband
 - Face shield position can be fixed when flipped up
 - Compatible with visors: SE173A, SE175A
 - Colour: yellow
- Size:** 6,5–8

Standards: EN 166:2001 CE ⓘ

Can be combined with:

SE1760 = Visor SE173A + Browguard SE176B

Packaging:

1 pc. 1 pc./pkg. 60 pcs./carton



SE176D

Browguard

- Wheel ratchet adjustable head harness for easy fitting (head size: 6,5 - 8)
 - Adjustable with pinlock
 - Soft sweatband
 - Face shield position can be fixed when flipped up
 - Compatible with visor: SE176G
 - Colour: green
- Size:** 6,5–8

Standards:

See at the compatible visors.

Packaging:

1 pc. 1 pc./pkg. 60 pcs./carton



SE176G

Clear visor

- Material: polycarbonate
- Compatible with browguard: SE176D, SE176E
- Colour: clear

Packaging:

1 pc. 25 pc./pkg. 300 pcs./carton



Size: 20 × 30 cm





SE1710

Baseball bump-cap

- Impact-resistant inner shell
- Ventilation holes
- Colour: navy blue

Size: one size

Standards: EN 812:2012

Packaging:

1 1 60
pc. pc./pkg. pcs./carton



FZ-1/B

Baseball bump-cap with reflective elements

- Impact-resistant inner shell
- Ventilation holes
- With reflective elements
- Colour: fluorescent yellow

Size: one size

Standards: EN 812:2012

Packaging:

1 1 50
pc. pc./pkg. pcs./carton



FZ-1/D

FZ-1/D

Colour: fluorescent orange

Packaging:

1 1 50
pc. pc./pkg. pcs./carton



WINCAP-O

Knitted winter cap

- Material: 100% acrylic
- AZO free
- Double layered, foldable
- Colour: orange

Size: one size

Packaging:

1 10 120
pc. pc./pkg. pcs./carton



WINCAP-B
Colour: black



WINCAP-N
Colour: navy blue



WINCAP-G
Colour: grey



EYE AND FACE PROTECTION



BE PERCEPTIVE!

'VISU-MAX-Y'

EYE AND FACE PROTECTION – STANDARDS

EN 166:2003 – PERSONAL EYE-PROTECTION. SPECIFICATIONS

EN 167:2003 – PERSONAL EYE-PROTECTION. OPTICAL TEST METHODS

EN 168:2003 – PERSONAL EYE-PROTECTION. NON-OPTICAL TEST METHODS

EN 169:2003 – PERSONAL EYE-PROTECTION. FILTERS FOR WELDING AND RELATED TECHNIQUES. TRANSMITTANCE REQUIREMENTS AND RECOMMENDED USE

EN 170:2003 – PERSONAL EYE-PROTECTION. ULTRAVIOLET FILTERS. TRANSMITTANCE REQUIREMENTS AND RECOMMENDED USE

EN 171:2003 – PERSONAL EYE-PROTECTION. INFRARED FILTERS. TRANSMITTANCE REQUIREMENTS AND RECOMMENDED USE

EN 172:2000 – PERSONAL EYE PROTECTION. SUNGLARE FILTERS FOR INDUSTRIAL USE

EN 175:2003 – PERSONAL PROTECTION. EQUIPMENT FOR EYE AND FACE PROTECTION DURING WELDING AND ALLIED PROCESSES





VISU-MAX-S = 91708/SZ

VISU-MAX-T = 91708/VT

VISU-MAX-Y = 91708/SA

Safety glasses

- Material: polycarbonate
- Curved shape
- Comfortable, rubberized nose bridge
- Adjustable temples
- Colour (lenses, frame): amber-black

Standards: EN 166:2001, EN 170 CE

Packaging:

1 12 300
pc. pc./pkg. pcs./carton




VISU-MAX-S = 91708/SZ
smoke-black

Standards: EN 166:2001, EN 172 CE



VISU-MAX-T = 91708/VT
clear-black



VISU-ACE-S = 90960/SZ

VISU-ACE-T = 90960/VT

VISU-ACE-Y = 90960/SA

Safety glasses

- Material: polycarbonate
- Curved shape
- Colour (lenses, frame): amber-amber

Standards: EN 166:2001, EN 170 CE

Packaging:

1 12 300
pc. pc./pkg. pcs./carton



VISU-ACE-S = 90960/SZ
smoke-smoke

Standards: EN 166:2001, EN 172 CE



VISU-ACE-T = 90960/VT
clear-clear



SE2275

Safety glasses

- Material: polycarbonate
- Curved shape
- Comfortable nose bridge
- Colour (lenses, frame): smoke-red

Packaging:

1 12 300
pc. pc./pkg. pcs./carton



SE2266

Safety glasses

- Material: polycarbonate
- Curved shape
- Colour (lenses, frame): amber-black

Packaging:

1 12 300
pc. pc./pkg. pcs./carton





SE2105

Safety glasses

- Material: polycarbonate
- Curved shape
- Comfortable nose bridge
- Adjustable temples
- Colour (lenses, frame): clear-black

Packaging:

1 12 300
 pc. pc./pkg. pcs./carton



SE2172

Safety glasses

- Material: polycarbonate
- Side protection
- Comfortable nose bridge
- Adjustable temples
- Flat shape
- Colour (lenses, frame): clear-black

Standards:

EN ISO 16321-1:2022
EN 166:2001
EN 167:2001
EN 168:2001
EN 170:2002
EN 172:1994/A1:2000/A2:2001
 CE

Packaging:

1 12 300
 pc. pc./pkg. pcs./carton



SE2160

Safety glasses

- Material: polycarbonate
- Side protection
- Can be used over prescription glasses
- Colour (lenses, frame): clear-clear

Standards:

EN 166:2001
EN 167:2001
EN 168:2001
 CE

Packaging:

1 12 300
 pc. pc./pkg. pcs./carton





SE1120

Safety goggles, ventilated

- Material: polycarbonate (lenses), soft vinyl (frame)
- Ventilation holes
- Can be used over prescription glasses
- Colour (lenses, frame): clear-clear

Standards: EN166:2001 CE

Packaging:

1 20 200
pc. pc./pkg. pcs./carton



SE1116

Safety goggles, ventilated

- Material: polycarbonate (lenses), soft vinyl (frame)
- Four ventilation holes
- Can be used over prescription glasses
- Colour (lenses, frame): clear-green

Standards: EN166:2001 CE

Packaging:

1 12 120
pc. pc./pkg. pcs./carton



SE1152

Welding goggles

- Material: polycarbonate (lenses), soft vinyl (frame)
- Indirect ventilation
- Adjustable, elastic headband
- Flip-up lenses
- 50 mm diameter round lenses
- Colour (lenses, frame): IR5 (green, green)

Standards: EN 166:2001, EN 175:1997 CE

Packaging:

1 12 120
pc. pc./pkg. pcs./carton





SE2724

Welding helmet

- Replaceable, flip-up lens
- Compatible with lenses: SE2831 (IR11/green), SE2830 (clear)
- Adjustable head harness
- Colour: black

Lens size: 110X90 mm

Standards: EN 166:2001, EN 175:1997

Packaging:

■	□	□□
1	1	30
pc.	pc./pkg.	pcs./carton



SE2713

Welding helmet

- Replaceable lens
- Compatible with lenses: SE2831 (IR11/green), SE2830 (clear)
- Adjustable head harness
- Colour: black

Lens size: 110X90 mm

Standards: EN 166:2001, EN 175:1997

Packaging:

■	□	□□
1	1	30
pc.	pc./pkg.	pcs./carton



SE2737

Welding hand shield

- Replaceable lens
- Compatible with lenses: SE2831 (IR11/green), SE2830 (clear)
- Colour: black

Lens size: 110X90 mm

Standards: EN 166:2001, EN 175:1997

Packaging:

■	□	□□□
1	1	60
pc.	pc./pkg.	pcs./carton



SE2831

Welding lens

- Compatible with welding helmets: SE2713, SE2724 and welding hand shield: SE2737
- Colour: IR11 (green)

Size: 110X90 mm

Standards:
With the compatible shields

Packaging:

■	□	□□□
1	50	300
pc.	pc./pkg.	pcs./carton



SE2830
Colour: clear



RESPIRATORY PROTECTION



TAKE A DEEP BREATH!

'SE1542'

RESPIRATORY PROTECTION – STANDARDS

EN 136:2000 – RESPIRATORY PROTECTIVE DEVICES. FULL FACE MASKS. REQUIREMENTS, TESTING, MARKING

EN 140:2000 – RESPIRATORY PROTECTIVE DEVICES. HALF MASKS AND QUARTER MASKS. REQUIREMENTS, TESTING, MARKING

EN 141:2001 – RESPIRATORY PROTECTIVE DEVICES. GAS FILTERS AND COMBINED FILTERS. REQUIREMENTS, TESTING, MARKING

EN 143:2022 – RESPIRATORY PROTECTIVE DEVICES. PARTICLE FILTERS. REQUIREMENTS, TESTING, MARKING

EN 149:2001+A1:2009 – RESPIRATORY PROTECTIVE DEVICES. FILTERING HALF MASKS TO PROTECT AGAINST PARTICLES. REQUIREMENTS, TESTING, MARKING

EN 405:2001+A1:2009 – RESPIRATORY PROTECTIVE DEVICES. VALVED FILTERING HALF MASKS TO PROTECT AGAINST GASES OR GASES AND PARTICLES. REQUIREMENTS, TESTING, MARKING





RESPI-MAX-1

Face mask FFP1 without valve

- Material: non-woven fabric
- Protection level: FFP1 NR
- Without exhalation valve
- Cup-shaped
- Adaptable nose clip
- Elastic headband
- Colour: white-yellow

Standards: EN 149:2001+A1:2009 CE

Packaging:

▪					
1	20	400			
pc.	pc./box	pcs./carton			

Please note that we deliver only full unit packings.
(1 box = 20 pcs of product)



RESPI-MAX-2

Colour: white-blue

RESPI-MAX-2

Face mask FFP2 without valve
Protection level: FFP2 NR

Packaging:

▪					
1	20	400			
pc.	pc./box	pcs./carton			

Please note that we deliver only full unit packings.
(1 box = 20 pcs of product)



RESPI-MAX-V2

Face mask FFP2 with valve

- Material: non-woven fabric
- Protection level: FFP2 NR
- With exhalation valve
- Cup-shaped
- Adaptable nose clip
- Elastic headband
- Colour: white-blue

Standards: EN 149:2001+A1:2009 CE

Packaging:

▪					
1	10	200			
pc.	pc./box	pcs./carton			

Please note that we deliver only full unit packings.
(1 box = 10 pcs of product)



RESPI-MAX-V3

Colour: white-red

RESPI-MAX-V3

Face mask FFP3 with valve
Protection level: FFP3 NR

Packaging:

▪					
1	10	200			
pc.	pc./box	pcs./carton			

Please note that we deliver only full unit packings.
(1 box = 10 pcs of product)





SE1542

Half mask

- Two replaceable filters
- Wide flange design, comfortable soft nosepiece with rolled edges
- Adjustable head straps
- Compatible with filters: SE154A, SE154P

Size: one size

Standards: EN 140:2000 CE

Packaging:

■	■	■	■
1	1	24	
pc.	pc./pkg.	pcs./carton	



SE154A

A1 filter cartridge

- Protection against organic vapours and gases
- Compatible with half mask: SE1542
- Singular packing

Standards: EN 140:2000 CE

Packaging:

■	■	■	■
1	20	120	
pc.	pc./pkg.	pcs./carton	



SE154P

P2 filter cartridge

- Protection against non-toxic and low-to-average toxicity solid and liquid aerosols
- Compatible with half mask: SE1542
- Singular packing


Standards: EN 140:2000 CE

Packaging:

■	■	■	■
1	20	120	
pc.	pc./pkg.	pcs./carton	



HEARING PROTECTION



STAND THE NOISE! 'SE1340'

HEARING PROTECTION – STANDARDS

EN 352-1:2020 – HEARING PROTECTORS. GENERAL REQUIREMENTS.
PART 1: EAR-MUFFS

EN 352-2:2020+A1:2024 – HEARING PROTECTORS. GENERAL REQUIREMENTS.
PART 2: EAR-PLUGS

EN 352-3:2020 – HEARING PROTECTORS. GENERAL REQUIREMENTS.
PART 3: EAR-MUFFS ATTACHED TO AN INDUSTRIAL SAFETY HELMET





SE1344

Clip-on ear muff

- Noise reduction: SNR: 24.5 dB
- Clip-on
- Compatible with helmet: SE1701
- Colour: red-black

Standards: EN 352-3:2020 CE

Packaging:

1 pair
 1 pair/pkg.
 60 pairs/carton



SE1340

Foldable ear muff

- Noise reduction: SNR: 30.4 dB
- Adjustable length
- Foldable
- Colour: yellow-black

Standards: EN 352-1:2020 CE

Packaging:

1 pc.
 10 pc./pkg.
 60 pcs./carton





SE1310

Ear muff

- Noise reduction: SNR: 26,9 dB
- Adjustable length
- Colour: red-black

Standards: EN 352-1:2020 CE

Packaging:

■	□	□□
1	10	60
pc.	pc./pkg.	pcs./carton



SE1374

Ear plug

- Noise reduction: SNR: 34 dB
- Packed per pair
- Colour: orange

Standards: EN 352-2:2002 CE

Packaging:

■	□	□□
1	200	4000
pair	pair/pkg.	pairs/carton



ACCESSORIES



BE CREATIVE!

'KNEE-HERO'



BACKUP = SE2910

Back support



- Material: lightweight spandex
- Elastic belt with velcro fastening

Packaging:

1 pc./pkg. 1 pc./pkg. 60 pcs./carton



KNEE-HERO

Foam knee pads



- Material: foam
- Easy on-and-off due to elastic band and velcro closure
- Lightweight

Packaging:

1 pc./pkg. 1 pc./pkg. 50 pcs./carton



FIXIT-Y

Glove clip holder



- Material: plastic
- Attachable on belt loop
- Colour: yellow

Size: one size

Packaging:

1 pc./pkg. 1 pc./pkg. 100 pcs./carton



FIXIT-O Colour: orange **FIXIT-B** Colour: black





SIGTAPE-R
Colour: red-white

SIGTAPE-Y

Warning tape

- For indoor and outdoor use
- Reusable, non-adhesive
- Width: 75 mm
- Length: 100 m/roll
- Colour: yellow-black

Packaging:

▪	□	□
1	1	45
pc.	pc./pkg.	pcs./carton



WARNTAPE-Y
Colour: yellow-black

WARNTAPE-R

Adhesive warning tape

- For indoor and outdoor use
- Width: 48 mm
- Length: 20 m/roll
- Colour: red-white

Packaging:

▪	□	□
1	6	96
pc.	pc./pkg.	pcs./carton



WIZBAND = HV-PANT

High-visibility wrist-/ankle band

- Reflective band
- Quick closing
- Can be worn on the wrist or ankle
- Suitable for sports and cycling
- Colour: yellow

Size: 4×25 cm

Packaging:

▪	□	□
1	50	2000
pc.	pc./pkg.	pcs./carton



INDEX


ARTICLE NUMBER	PAGE	ARTICLE NUMBER	PAGE
ROCK KIDS		DRAGONFLY	25
KID-CAT-A	13	DRAGONFLY-ECO	25
KID-CAT-P	12	DRAGONFLY-ECO-V	25
KID-DIGGER-A	13	DRAGONFLY-V	25
KID-DOG-A	13	DRONGO	100
KID-DOG-P	12	DUCKBILL-DEN	40
KID-FARMER-A	13	ELEPHANT	46
KID-FARMER-P	12	ELEPHANT-1P	46
KID-TINKER-A	13	ELK(W)	117
KID-TINKER-P	12	ESDGUMIUJJ	106
KID-TRUCKMIXER-P	12	FIREANT	34
KM-2-A	14	FLAMEFOX-R-GA	70
KM-2-P	14	FLAMEFOX-R-GB	71
REFLECTKID-Y	14	FLAMEFOX-S-GB	71
HAND PROTECTION		FLEXVIS	33
AGOUTI	83	FROSTBEAR(W)	114
AKEPA	58	GARDENER	96
ALPACA	75	GAUR = 1015N-M	65
ALPACA-FL	76	GNU	66
ALPACA-LO	75	GORAL	82
ALPACA-PL	76	GRASSHOPPER	109
ALPACA-PL-DOT	88	GREYWOLF-1	59
ALPACA-PL-LO	77	GREYWOLF-2	59
ARMADILLO	45	GREYWOLF-3	60
BEESAFE	109	GUANACO-PL	77
BLACKGRIP	24	HIPPO	40
BLACKTERN	58	HUNTHERO = LOV-B	112
BLAZECAT-A-GA	68	IMPALA	81
BLUEBIRD	92	IMPALA-DOT	90
BLUERACER	104	IMPALA-DOT-ECO	90
BLUEWOLF	60	IMPALA-FL	81
BONGO	78	IMPALA-LO	81
BONGO-LIN	79	KANGA	108
BONGO-LIN-AC	80	KM1509500	110
BONGO-S	78	KUDU	87
BONGO-S-LIN	79	LOBSTER	45
BUFFALO(W)-R	116	LOCUST	29
BUFFALO-A	64	LOCUST-DOTLESS	29
BUFFALO-O	64	MAMMOTH-1T	46
BUFFALO-R	64	MAMMOTH-1T-DOT	49
BUFFALO-Y	64	MAMMOTH-1T-DOT-LO	51
BUG	34	MAMMOTH-1T-LO	48
BULL-GA	62	MAMMOTH-2T	47
BULL-GB	62	MAMMOTH-2T-DOT	50
BUTTERFLY	28	MAMMOTH-2T-DOT-LO	51
BUTTERFLY-ECO	28	MAMMOTH-2T-FL	54
BUZZARD	31	MAMMOTH-2T-LO	48
CARACAL	72	MAMMOTH-4T	47
CARACAL-LO	72	MAMMOTH-4T-COW	54
CARACARA	32	MAMMOTH-4T-DLIN	53
CARDINAL-35	98	MAMMOTH-4T-DOT	50
CARDINAL-45	98	MAMMOTH-4T-DOT-LO	52
CHIPMUNK	36	MAMMOTH-4T-LIN	52
CICADA	31	MAMMOTH-4T-LIN-LO	53
CORNSNAKE	99	MAMMOTH-4T-LO	49
CROCODILE	44	MANTARAY	103
CUTVIS	42	MANTELLA-1	95
DINGO	69	MANTELLA-2 = 7021	95
		MANTIS	33

ROCK SAFETY® IN HUNGARY

CONTACT

HEADQUARTER, MAIN OFFICE
 Nagykátai Street 10, 5100 Jászberény, Hungary
 Tel.: +36 57 515 700
 Mobile: +36 30 652 4269, +36 30 652 6966
 Fax: +36 57 515 701
 E-mail: webshop@rocksafety.com
 Web: www.rocksafety.com

LOGISTICS CENTRE & BONDED WAREHOUSE
 Felsőmező Street 068/11, 5100 Jászberény, Hungary
 Tel.: +36 57 515 700
 Mobile: +36 70 883 2107
 Fax: +36 57 515 701
 E-mail: vamraktar@rocksafety.com




ROCKSAFETY APP.
 Download on the **App Store**
 GET IT ON **Google Play**
 Find us on: **facebook**
 FACEBOOK.COM/ROCKSAFETYOFFICIAL



<p>1. AREA JÓZSEF HORVÁTH regional sales manager jozsef.horvath@rocksafety.com +36 (70) 613 6073 Admin: GABRIELLA SZÖLLŐSI gabriella.szollosi@rocksafety.com +36 (57) 515 702</p>	<p>2. AREA ROLAND CSOMOR regional sales manager roland.csomor@rocksafety.com +36 (30) 974 05 98 Administrator: JÁNOS NAGY janos.nagy@rocksafety.com +36 (57) 515 706</p>	<p>3. AREA ZSOLT PÉTERI regional sales manager zsolt.peteri@rocksafety.com +36 (30) 534 87 38 Admin: GABRIELLA SZÖLLŐSI gabriella.szollosi@rocksafety.com +36 (57) 515 702</p>	<p>4. AREA PIROSKA TOLDI regional sales manager piroska.toldi@rocksafety.com +36 (30) 578 72 86 Admin: GABRIELLA SZÖLLŐSI gabriella.szollosi@rocksafety.com +36 (57) 515 702</p>	<p>5. AREA GÁBOR BENES regional sales manager gabor.benes@rocksafety.com +36 (70) 411 29 30 Administrator: JÁNOS NAGY janos.nagy@rocksafety.com +36 (57) 515 706</p>	<p>6. AREA VIKTOR FÁBIÁN sales & purchasing manager viktor.fabian@rocksafety.com +36 (30) 439 20 06 Administrator: JÁNOS NAGY janos.nagy@rocksafety.com +36 (57) 515 706</p>
---	---	--	---	---	---

ROCK SAFETY® EXPORT





rocksafety.com